


## Mode control for square microresonator lasers suitable for integration

## October 15 2015



Mode field patterns for a square resonator with a side length of  $2.5~\mu m$  connected with a waveguide. Credit: Science China Press

Totally internal confined whispering-gallery modes can have high Q factors in wavelength scale optical microresonators, such as microspheres and two-dimensional microdisk resonators. Square optical resonators can also support high Q whispering-gallery modes, suitable to realize unidirectional microlasers.


Microsquare lasers have a larger overlap between the mode field pattern and injected carriers than microdisk lasers, which can result in better high-speed modulation behaviors. In addition, microsquare lasers can have higher slope efficiency and output power than microdisk lasers, due to the more evenly distributed mode field.



For a square optical microresonator, the mode field patterns around the perimeter exhibits the longitudinal and transverse mode field distributions. So the mode Q factors are greatly influenced by connecting an output waveguide to the resonator. The fundamental transverse mode with field pattern in Fig. 1(a) has a very small mode Q factor due to its strongly coupling to the output waveguide, and the first order transverse mode in Fig. 1(b) has a high Q factor.

Mode selection in square resonator microlasers is demonstrated by adjusting the width of the output waveguide coupled to the midpoint of one side. Through adjusting the width of the output waveguide, the mode interval of the high-Q modes can reach four times of the longitudinal mode interval. Therefore, mode hopping can be efficiently avoided and the lasing wavelength can be tuned continuously by tuning the injection current. For a 17.8-μm-side-length square microlaser with a 1.4-μm-width output waveguide, mode-hopping-free single-mode operation is achieved with a continuous tuning range of 9.2 nm.

Furthermore, dual-transverse-mode microsquare lasers with a tunable wavelength interval are designed and fabricated by using a square-ring patterned contact window. For the microsquare <u>laser</u> with the side length of 30  $\mu$ m, the wavelength interval increases from 0.25 to 0.37 nm with the intensity ratio less than 2.5 dB as the injection current increases from 89 to 108 mA.





Square microlaser with a patterned electrode for current injection. Credit: Science China Press

**More information:** Long Heng, Huang YongZhen, Yang YueDe, Zou LingXiu, Xiao JinLong, and Xiao ZhiXiong, Mode and modulation characteristics for microsquare lasers with a vertex output waveguide, Sci China-Phys Mech Astron, 2015, 58(11): 114205. 10.1007/s11433-015-5700-9 <a href="link.springer.com/article/10.1007">link.springer.com/article/10.1007</a> %2Fs11433-015-5700-9

Heng Long, Yong-Zhen Huang, Xiu-Wen Ma, Yue-De Yang, Jin-Long Xiao, Ling-Xiu Zou and Bo-Wen Liu, Dual-transverse-mode microsquare lasers with tunable wavelength interval, Opt. Lett., 2015, 40(15): 3548-3551

Ming-Ying Tang, Shao-Shuai Sui, Yue-De Yang, Jin-Long Xiao, Yun Du, and Yong-Zhen Huang, Mode selection in square resonator microlasers for widely tunable single mode lasing, Opt. Exp., 2015, 23(in press)

## Provided by Science China Press

Citation: Mode control for square microresonator lasers suitable for integration (2015, October 15) retrieved 19 April 2024 from <a href="https://phys.org/news/2015-10-mode-square-microresonator-lasers-suitable.html">https://phys.org/news/2015-10-mode-square-microresonator-lasers-suitable.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.