


A phononic crystal coupled to a transmission line via an artificial atom

November 27 2020, by Thamarasee Jeewandara



The device. (a) Schematics of the device. The artificial atom is simultaneously coupled to electromagnetic and acoustic systems. Microwave photons excite an artificial atom (qubit). The atom in turn generates phonons into the phononic


crystal. (b) Schematic representation of the sample. Electromagnetic waves propagate through a coplanar transmission line and interact with an artificial atom shaped as a transmon. The qubit shunting capacitance consists of $N_p = 140$ identical electrode pairs (metallic stripes). The corresponding mechanical substrate surface oscillations are shown by color gradients. (c) Micrograph of the sample. Thin structures of the phononic crystal and the SQUID are shown in the insets. Credit: Communications Physics, doi: 10.1038/s42005-020-00475-2

Researchers have recently displayed the interaction of superconducting [qubits](#); the basic unit of quantum information, with [surface acoustic wave resonators](#); a surface-wave equivalent of the crystal resonator, in quantum physics. This phenomena opens a new field of research, defined as [quantum acoustodynamics](#) to allow the development of new types of quantum devices. The main challenge in this venture is to manufacture acoustic resonators in the [gigahertz range](#). In a new report now published on *Nature Communications Physics*, Aleksey N. Bolgar and a team of physicists in Artificial Quantum Systems and Physics, in Russia and the U.K., detailed the structure of a significantly simplified hybrid acoustodynamic device by replacing an acoustic resonator with a [phononic crystal or acoustic metamaterial](#).

The crystal contained narrow metallic stripes on a quartz surface and this [artificial atom](#) or metal object in turn interacted with a microwave [transmission line](#). In engineering, a transmission line is a connector that transmits energy from one point to another. The scientists used the setup to couple two degrees of freedom of different nature, i.e. acoustic and [electromagnetic](#), with a single quantum object. Using a scattering spectrum of propagating electromagnetic waves on the [artificial atom](#) they visualized acoustic modes of the phononic crystal. The geometry of the device allowed them to realize the effects of quantum acoustics on a simple and compact system.

Superconducting quantum systems

Superconducting quantum systems are promising for quantum technologies in quantum informatics and are fundamental to [new research directions](#) of quantum optics and artificial atoms. These systems can easily achieve a [strong coupling regime](#) even to macroscopic circuit elements. Several research groups had achieved quantum acoustodynamics (QAD) using artificial atoms, where electromagnetic waves can be replaced with acoustic versions and [photons by phonons](#). In this work, Bolgar et al. studied a hybrid circuit where a superconducting qubit was strongly coupled simultaneously to two systems of different nature: acoustic and electromagnetic, with a phononic crystal and a one-dimensional (1-D) transmission line of electromagnetic waves.




Scattering spectroscopy. (a) An experimental curve (blue) of the transmission amplitude with a dip centered on the qubit transition frequency. It is fitted by a Lorentzian (red curve). (b) The qubit energy spectrum. The green vertical line shows the section where data for a plot (a) was measured. The green dashed rectangle represents a region of spectral line splittings shown in more detail on a subplot (c). (c) Spectral line splittings demonstrating interaction between the qubit and four quasinormal modes (QNMs) of the phononic crystal at four frequencies. (d) The simulated transmission phase color plot obtained from simulations of the system. It reproduces the experimental anticrossings shown on (c). Credit: Communications Physics, doi: 10.1038/s42005-020-00475-2

A key element in QAD experiments includes a mechanical resonator, which can either be a bulk resonator or a [surface acoustic wave \(SAW\) resonator](#) that plays a similar role as a cavity in [quantum electrodynamics \(QED\)](#). Acoustic elements can be made compact due to their wavelength, which is typically five orders of magnitude shorter than that of [electromagnetic waves](#). Physicists had conducted pioneering experiments with bulk acoustic resonators coupled to [superconducting qubits](#). However, integrating such bulk resonators with electronics is not straightforward. In this experimental setup, Bolgar et al. employed a qubit to play the role of the intermediate system by connecting the acoustic and electromagnetic systems. The researchers used a single long phononic crystal for acoustics of the device to provide the setup a significant technical advantage.

The layout of the device

The team developed the device on a [piezoelectric](#) substrate of stable quartz. The device contained a [transmon-type qubit](#), capacitively coupled to a microwave transmission line. In superconducting quantum computing, [a transmon](#) is a type of superconducting charge qubit designed for reduced sensitivity to charge noise. The device contained an

[interdigital transducer](#) (IDT) with equally spaced electrodes in the form of metallic stripes. The IDT [capacitance](#) was proportional to the number of electrode pairs. The capacitance electrodes were connected to a [superconducting quantum interference device \(SQUID\) loop](#); a sensitive detector of magnetic flux and field—used to tune the qubit energies. The periodic structure of the metallic stripes in the setup formed a phononic crystal (or acoustic metamaterial), where each stripe acted as an additional mass on the quartz surface. The [group velocity](#) of the waves were much smaller than the sound velocity in the setup, allowing the waves to be effectively confined in the device.




The spectrum of the control sample. Four qubits are designed with three different phononic crystal periods: $a_1 \approx 1.1 \mu\text{m}$, $a_2 \approx 1.0 \mu\text{m}$, $a_3 = a_4 \approx 0.95$

μm . Three of these qubits demonstrate their interaction with quasinormal modes (QNMs) at their predicted frequencies around 2.8 GHz (AC 1), 3.1 GHz (AC 2), and 3.3 GHz (AC 3). The fourth qubit spectrum is below its mechanical mode frequency, and, therefore, it does not have an anticrossing. Credit: Communications Physics, doi: 10.1038/s42005-020-00475-2

The two-level system coupled to quasinormal modes

The interdigital transducer (IDT) used in the setup, generated surface acoustic waves (SAW) propagating in the longitudinal direction. In contrast to resonators, the waves were not reflected at the boundaries but freely leaked out and as a result, the allowed modes in the system were [quasinormal, i.e. damped oscillations](#). The team then described the [Hamiltonian](#) of the hybrid system (a function representing the total energy of a system). In the experimental system, the artificial atom coupled to a phononic crystal interacted with the electromagnetic wave in the transmission line and the team described the dynamics of the scattered waves on the artificial atom, which they measured using [transmission spectroscopy](#). The work contained information on the interaction of the atom with phononic modes.




The calculated parameters of quasinormal modes. (a) The behavior of phonon dispersion curve (red) close to the first Brillouin edge. Quasinormal modes (QNMs) are depicted by blue points. The magenta arrows show the experimentally observed frequencies. (b, c) The quality factors (b) and coupling strength constant (c) for a set of QNMs close to a band gap (white rectangle).

Quasinormal modes are depicted by blue points. An orange point corresponds to $f_{0,3}$ mode. The experimental amplitude of a signal reflected from the same geometry phononic crystal measured in a separate experiment is shown in the inset. Three dips correspond to the excitation of modes $f_{-2,1} = 3.248$ GHz, $f_{0,1} = 3.264$ GHz and $f_{0,3} = 3.283$ GHz, which have the highest coupling strength. The experimental Q-factors extracted from the widths of these dips are $Q_{-2,1} = 380$, $Q_{0,1} = 1050$, $Q_{0,3} = 950$, which are in good agreement with calculated ones, shown on (b). Credit: Communications Physics, doi: 10.1038/s42005-020-00475-2

The experimental outcomes

The experimental conditions allowed thermal fluctuations of the setup to be well below the energy of surface acoustic phonons, which are in the gigahertz range of frequencies. The researchers detected the atom-wave interaction, as a change in phase and amplitude of the transmitted signal close to the [qubit resonance frequency](#). They amplified the transmitted signal using cryogenic and room temperature amplifiers and collected the results under a variety of magnetic fields to find the energy splitting of the qubit. The results of spectral line splittings demonstrated the interaction between the qubit and four quasinormal modes (QNMs) of the phononic crystal at four different frequencies. The high [quality factors](#) (also termed Q factors) used in the experiment increased with the increasing metallic stripes, where higher Q indicated slower dispersion of the oscillations. This observation was also supported via simulations.



b

Mode	$\frac{\pi}{k_x - p}$	f (GHz)	$\frac{g}{2\pi}$ (MHz)	Re(V), a.u.	Im(V), a.u.	Energy density, a.u.
2,1	$2k_L$	3.313	6			
1,1	k_L	3.306	0			
0,1	$-k_L$	3.262	53			
-1,1	$-2k_L$	3.253	0			
-2,1	$-3k_L$	3.244	16			
0,3	$-k_L$	3.287	18			

The field distribution of quasnormal modes. (a) The spatial dependence of the field $\text{Re}(A_i(x))$ of the quasnormal mode $f_{0,1}$ (blue) and $f_{1,1}$ (green). The insets show field details with respect to the electrodes of the interdigital transducer

(IDT). Blue and green colors indicate electrodes of opposite electric polarity. (b) The colormaps for real (5 column) and imaginary (6 column) part of the complex potential amplitudes, calculated as a field difference on pairs of electrodes for several different modes. The plots of 7 column show energy distribution in acoustic waves. Credit: Communications Physics, doi: 10.1038/s42005-020-00475-2

The broader impact on quantum acoustics

In this way, Aleksey N. Bolgar and colleagues experimentally demonstrated the interaction between a qubit and surface acoustic wave (SAW) phononic crystal, formed via a periodic metallic structure on the surface of a quartz material. The team found the modes of the phononic crystal in the circuit by characterizing the scattering of electrodynamic waves on a two-level artificial atom strongly coupled to the crystal. They showed the interaction of the atom with four quasinormal modes of the crystal. The geometry of the engineered device was simple and robust and is more compact than existing bulky setups. The outcomes of this work will contribute to develop devices suited for fundamental quantum acoustics.

More information: 1. Bolgar A. N., et al. A phononic crystal coupled to a transmission line via an artificial atom, *Nature Communication Physics*, doi.org/10.1038/s42005-020-00475-2

2. Chiorescu I. et al. Coherent quantum dynamics of a superconducting flux qubit. *Science*, 10.1126/science.1081045

3. Kockum A. F. et al. Designing frequency-dependent relaxation rates and Lamb shifts for a giant artificial atom, *Physical Review A*. doi.org/10.1103/PhysRevA.90.013837

© 2020 Science X Network

Citation: A phononic crystal coupled to a transmission line via an artificial atom (2020, November 27) retrieved 28 April 2024 from <https://phys.org/news/2020-11-photonic-crystal-coupled-transmission-line.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.