

# 'Kagome' metallic crystal adds new spin to electronics

October 27 2022




Illustration of surface electronic behavior in a kagome metal. The gyroscope is only an analogy of "spin", which is one of the intrinsic physical properties of fundamental particles. Note that electrons will not really rotate as shown. Credit: City University of Hong Kong

A multinational team of researchers, co-led by a City University of Hong Kong (CityU) physicist, has found that a novel metallic crystal displays unusual electronic behavior on its surface, thanks to the crystal's unique

atomic structure. Their findings open up the possibility of using this material to develop faster and smaller microelectronic devices.

The material that was studied is a recently discovered "[kagome](#)" metal compound that consists of three elements: gadolinium (Gd), vanadium (V), and tin (Sn). It is classed as a "1-6-6" material to indicate the ratio of the three metal elements present in the  $\text{GdV}_6\text{Sn}_6$  crystal. The atoms are arranged in a complex but regular geometric pattern, resulting in extraordinary [surface](#) characteristics.


Normally, negatively charged electrons in atoms move about within discrete energy bands at different distances from the positively charged nuclei. However, on the surface of  $\text{GdV}_6\text{Sn}_6$ , top layers of exposed atoms are predicted to interact with each other and deform the topology, that is, shape and positioning, of the energy bands. In theory, this deformation could introduce a new and stable electronic property that, until now, has not been definitively detected in  $\text{GdV}_6\text{Sn}_6$  or any other kagome metal.

## **First observation of unusual surface electronic behavior in a kagome metal**

"Our team unambiguously observed for the first time that a kagome metal can exhibit altered electronic energy-band structures of the type known as 'topologically non-trivial Dirac surface states'," says Dr. Ma Junzhang, Assistant Professor in the Department of Physics at CityU.

"Because of their intrinsic spin and charge, electrons create their own magnetic field and behave like tiny gyroscopes that have both rotation and an angled tilt that points in a certain direction. We demonstrated that in  $\text{GdV}_6\text{Sn}_6$ , the surface electrons become reordered or 'spin-polarized', and their tilts reorient themselves around a common axis that is

perpendicular to the surface."



GdV<sub>6</sub>Sn<sub>6</sub> kagome crystal structure: (i) unit cell; (ii) top view along the c-axis showing kagome layer of V<sub>3</sub>Sn. Credit: *Science Advances* (2022). DOI: 10.1126/sciadv.add2024

The ordered orientation of electrons around a shared axis is their "spin chirality", which can be in either a clockwise or an anticlockwise direction. More importantly, the research team was able to successfully reverse the spin chirality by performing a simple physical modification of the crystal surface. "Because we found that the spin chirality of the spin-polarized electrons is easily reversible, our material has great potential for application in next-generation transistors in the field of spintronics," adds Dr. Ma.


The study, published in *Science Advances* on September 21, 2022, was motivated by theoretical predictions of novel surface electronic band structures after considering special features of GdV<sub>6</sub>Sn<sub>6</sub> kagome crystals. For example, layers of repeating V<sub>3</sub>Sn subunits are stacked

between alternating layers of Sn and  $\text{GdSn}_2$ .

Furthermore, multiple  $\text{V}_3\text{Sn}$  subunits are arranged geometrically in a "kagome layer", whose [repeating pattern](#) of six equilateral triangles surrounding a hexagon resembles the *kagome* lattice seen in Japanese bamboo basket weaving. Finally, the  $\text{V}_3\text{Sn}$  kagome layer is non-magnetic, whereas the  $\text{GdSn}_2$  layer is magnetic.

First, the researchers made  $\text{GdV}_6\text{Sn}_6$  crystals by heating Gd, V, and Sn metals and slowly cooling the product. Then, after confirming the [chemical composition](#) and structure by single-crystal X-ray diffraction, they cleaved a crystal through the stacked layers and analyzed the exposed surface by angle-resolved photoemission spectroscopy, or ARPES. Results revealed that the cleaved surface indeed possessed reshaped energy band structures, and further analysis demonstrated clockwise spin character.

Finally, the team showed that the surface energy bands could be warped drastically by coating the surface with potassium atoms, in a process known as electron doping. As a result, the electron spin chirality switched from clockwise to anticlockwise with increasing doping level.



Simulated constant-energy contours showing reversal of spin chirality (green arrows) of surface electrons, from (i) clockwise in pristine GdV<sub>6</sub>Sn<sub>6</sub> to (ii) anticlockwise after surface electron doping with potassium. Credit: *Science Advances* (2022). DOI: 10.1126/sciadv.add2024

## Potential applications in improving information transfer and beyond

The ability of researchers to deliberately reverse the spin chirality of surface electrons on the GdV<sub>6</sub>Sn<sub>6</sub> crystal makes it a promising candidate material for numerous practical electronic applications.

"In the future, we might be able to apply a local voltage, or electrostatic 'gate', to directly manipulate or tune the electronic band structure and hence alternate the electron spin chirality on the surface of 1-6-6 kagome metals," says Dr. Ma.

"Controlling the direction of spin-polarization of [electrons](#) is an

attractive alternative to traditional binary digital coding based on the presence or absence of electrical charge, which is relatively slow and can lead to problems such as device heating. Our technology could significantly increase efficiency in digital information transfer, with less heat generation, and could ultimately be exploited in quantum computing when coupled with superconductors."

**More information:** Yong Hu et al, Tunable topological Dirac surface states and van Hove singularities in kagome metal  $\text{GdV}_6\text{Sn}_6$ , *Science Advances* (2022). DOI: [10.1126/sciadv.add2024](https://doi.org/10.1126/sciadv.add2024)

Provided by City University of Hong Kong

Citation: 'Kagome' metallic crystal adds new spin to electronics (2022, October 27) retrieved 6 August 2024 from <https://phys.org/news/2022-10-kagome-metallic-crystal-electronics.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.