

Reduced energetic disorder enables over 14% efficiency in organic solar cells

February 15 2023



The more planar molecular structure of A4T-3 enabled it with lower energetic disorder and reduced energy loss, thus higher photovoltaic performance of the PTVT-T:A4T-3-based device. Credit: Science China Press



Non-fused-ring organic photoactive materials have attracted broad attention in recent years due to their low synthetic cost. Different from the rigid coplanar structure of fused-ring molecules, the easily rotated conformation of non-fused-ring molecules could lead to the different energetic disorder, which greatly affects the intramolecular electron transport and thus the device performance.

Recently, Prof. Shaoqing Zhang replaced the 2-ethylhexyl side chain of A4T-16, an efficient completely non-fused-ring acceptor reported previously, with 3-ethylheptyl to synthesize a new acceptor A4T-3. By <u>contrast</u>, the 3-ethylheptyl substituent had a smaller steric hindrance effect, enabling A4T-3 with a more planar structure.

The <u>temperature</u> dependent mobility results suggested that A4T-3 exhibited lower intramolecular energetic disorder than A4T-16, resulting in a more uniform surface electrostatic potential distribution. Therefore, A4T-3 showed a smaller barrier for intramolecular electron transport and a higher electron mobility.

Meanwhile, the lower electrostatic potential of the end group made A4T-3 have smaller intermolecular interaction with the <u>donor</u>, which could reduce the non-radiative energy loss of the corresponding device. When the non-fused-ring polymer, PTVT-T, was used as the donor material, the photovoltaic performance of A4T-3-based device is comprehensively improved in comparison with A4T-16, with a <u>power conversion efficiency</u> of 14.26%.

Notably, this is the highest value for <u>organic solar cells</u> where both the donor and the acceptor are completely non-fused-ring materials. The cost evaluation showed that the material cost of PTVT-T:A4T-3 combination was much lower than other high-performance combinations, revealing the great potential of completely non-fused-ring photoactive materials for application-oriented OSCs.



The research is published in the journal Science China Chemistry.

More information: Chenyi Yang et al, Reduced energetic disorder enables over 14% efficiency in organic solar cells based on completely non-fused-ring donors and acceptors, *Science China Chemistry* (2022). DOI: 10.1007/s11426-022-1449-4

Provided by Science China Press

Citation: Reduced energetic disorder enables over 14% efficiency in organic solar cells (2023, February 15) retrieved 25 June 2024 from <u>https://phys.org/news/2023-02-energetic-disorder-enables-efficiency-solar.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.