

Exploring bamboo charcoal's slow-release properties for enhanced anti-acne formulations containing bamboo vinegar

August 23 2024



Relationship between dissolved tar content of two distillates and temperature. Credit: Ziyi Li, Yanan Wang, Sheng Zhang



Bamboo vinegar is a concentrated liquid obtained from bamboo under high temperature and anaerobic conditions. It contains more than 200 organic components, including organic acids, phenols, ketones, alcohols, and esters, among which acetic acid is the main component.

Although bamboo <u>vinegar</u> has been approved by the China Food and Drug Administration as a cosmetic raw material, commercially available bamboo vinegar often contains impurities whose efficacy is not clear, and <u>phenolic compounds</u> and aromatic hydrocarbons in it may be harmful to humans.

Nevertheless, bamboo vinegar has anti-acne potential, especially against the inhibitory effect of Propionibacterium acnes, the key microorganism in the pathogenesis of acne. While antibiotics are commonly used to treat acne, concerns about <u>drug resistance</u> have limited their use.

In a study <u>published</u> in the *Journal of Dermatologic Science and Cosmetic Technology*, a team of researchers from Central South University of Forestry and Technology in China explored the mechanism of the controlled-release system of bamboo vinegar and its potential application in cosmetics.

"Bamboo vinegar was refined through reduced-pressure distillation, which increased the content of organic acids, reduced tar content and enhanced the active ingredients while minimizing harmful components," explains corresponding author Sheng Zhang. "We used activated bamboo charcoal to adsorb the bamboo vinegar, allowing for a gradual release over a period exceeding two hours, effectively demonstrating a slowrelease effect."





Ritger-Peppas Model of the Controlled-release System. Credit: Ziyi Li, Yanan Wang, Sheng Zhang

The findings suggest that refined bamboo vinegar could be a promising raw material for anti-acne cosmetic formulations. The release rate of the bamboo charcoal/bamboo vinegar complex in water reached 70.57% within 15 minutes and then slowed to a plateau. This slow-release behavior aligns with the Ritger-Peppas model, which is advantageous for reducing skin irritation and extending the bacteriostatic duration.



"The findings present a novel concept for anti-acne cosmetics and lay the groundwork for further research into the use of bamboo vinegar slowrelease systems with bamboo charcoal as a carrier," adds Zhang. "Future studies should explore additional cosmetic benefits of <u>bamboo</u> vinegar, such as dandruff removal, anti-wrinkle effects and more."

More information: Ziyi Li et al, Inhibition of Propionibacterium acnes by refined bamboo vinegar and preparation of the slow-release system with bamboo charcoal as the carrier, *Journal of Dermatologic Science and Cosmetic Technology* (2024). DOI: <u>10.1016/j.jdsct.2024.100016</u>

Provided by KeAi Communications Co., Ltd.

Citation: Exploring bamboo charcoal's slow-release properties for enhanced anti-acne formulations containing bamboo vinegar (2024, August 23) retrieved 23 August 2024 from <u>https://phys.org/news/2024-08-exploring-bamboo-charcoal-properties-anti.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.