

Warmer oceans could raise mercury levels in fish

October 3 2013



Dartmouth and other researchers studied killifish under varying temperatures in the lab and in salt marsh pools in Maine. Credit: NOAA

Rising ocean surface temperatures caused by climate change could make fish accumulate more mercury, increasing the health risk to people who eat seafood, Dartmouth researchers and their colleagues report in a study in the journal *PLOS ONE*.

Until now, little has been known about how global warming may affect mercury bioaccumulation in marine life, and no previous study has demonstrated the effects using fish in both laboratory and field

experiments. Mercury released into the air through industrial pollution can accumulate in streams and oceans and is turned into methylmercury in the water.

The researchers studied killifish under varying temperatures in the lab and in salt marsh pools in Maine. Fish in the marshes ate insects, worms and other natural food sources, while the lab fish were fed mercury-enriched food. Results showed the [fish](#) in warmer waters ate more but grew less and had higher methylmercury levels in their tissues, suggesting increases in their metabolic rate caused the increased uptake of the toxic metal.

More information: www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0058401

Provided by Dartmouth College

Citation: Warmer oceans could raise mercury levels in fish (2013, October 3) retrieved 19 September 2024 from <https://phys.org/news/2013-10-warmer-oceans-mercury-fish.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.