

Researchers publish complete DNA sequence of the Queensland fruit fly

February 6 2015, by Deborah Smith



One of the true fruit fly species sequenced, *Bactrocera jarvisi*

UNSW scientists have achieved a world first, publishing the complete DNA sequence of the Queensland fruit fly – a development that will improve both biosecurity and methods for controlling this global horticultural pest.

The Queensland fruit fly, *Bactrocera tryoni*, is a "true" fruit fly – the much larger cousin of the little flies often seen buzzing around your fruit bowl.

"The true fruit flies are the biggest pests of horticulture worldwide," says

study lead author, UNSW's Dr Stuart Gilchrist.

"Consequently, there has been an informal race to publish the first complete genome of a true fruit fly. The UNSW group has won that race against other groups including the US Department of Agriculture."

The study is published in the journal *BMC Genomics*.

The Queensland fruit fly lays its eggs in, and destroys, a wide variety of fruits and vegetables, including apples, citrus, stone fruits, avocados and tomatoes. It is a major problem for Australian fruit exporters. For example, Vietnam recently stopped importing Australian table grapes, citing concerns that the grapes may harbour Queensland fruit fly.

"It is Australia's worst fruit fly pest and poses a big problem for international trade, with quarantine services in overseas countries keen to avoid infestation," says Dr Gilchrist.

"In the short term, our study will assist in the fight by making it possible to develop better DNA tests. We need better tests to identify our native fruit flies as well as invasive fruit flies from overseas."

Dr Gilchrist, a geneticist, bioinformatician and high school science teacher, managed the project at UNSW while teaching full-time at Sydney Grammar School. Dr Deborah Shearman coordinated the DNA sequencing using the facilities of UNSW's Ramaciotti Centre for Genomics.

In addition to the Queensland fruit fly, the group also sequenced the genomes of two other Australian pest [fruit flies](#). That research reveals the related fruit fly species, *Bactrocera neohumeralis*, is more than 99.99 per cent genetically identical to the Queensland fruit fly; and a third species, *Bactrocera jarvisi*, is almost as closely related.

Despite being amazingly close relatives, the three species look different and have different behaviours. For example, *B. neohumeralis* mates in the middle of the day, while *B. tryoni* mates at dusk.

"These three species, which will mate in the laboratory, provide an extremely rare and valuable scientific tool for understanding how different species evolve," says Dr Gilchrist.

"By comparing their small genetic differences it will be much easier than usual to pinpoint the genetic basis for different traits, such as reproduction, physical characteristics, host fruit preferences, attraction to odours, and potential to invade new areas."

More information: "The draft genome of the pest tephritid fruit fly *Bactrocera tryoni*: resources for the genomic analysis of hybridising species." *BMC Genomics* 2014, 15:1153 [DOI: 10.1186/1471-2164-15-1153](https://doi.org/10.1186/1471-2164-15-1153)

Provided by University of New South Wales

Citation: Researchers publish complete DNA sequence of the Queensland fruit fly (2015, February 6) retrieved 27 April 2024 from <https://phys.org/news/2015-02-publish-dna-sequence-queensland-fruit.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.