

# A Field Of Beams

July 26 2005

---

By firing rapid pulses of polarized light at corn, spinach and other crops, researchers have uncovered a picture of plant health that is invisible to the naked eye. Using a portable light source and detector technology, the researchers can differentiate minute differences in leaf colors - indicators of over- or under-fertilization, crop-nutrient levels and perhaps even disease.

The researchers hope their tractor-mountable N-Checker (for "nitrogen-checker") apparatus will help farmers determine in real time how much fertilizer to apply. By preventing waste, the system could decrease the cost of crop production and dramatically cut the nitrogen-laden runoff responsible for algal blooms and other damage to wetlands and waterways.

Steve Finkelman, Paul Nordine and their colleagues at Containerless Research, Inc. of Evanston, Ill., Louise Egerton-Warburton and partners at the Chicago Botanic Garden, and graduate student Tim Smith of the University of Illinois, Urbana-Champaign, will present their new technology July 19 at the InfoAg 2005 Conference in Springfield, Ill.

"With our technology, we are able to easily see what is hidden from conventional instruments," says Finkelman. "The system eliminates interference from light reflected at a leaf's surface and allows us to see light re-emitting from within."

Depending on the plant, leaves reflect, transmit and absorb varying amounts of light. Polarized light that enters a leaf's interior can lose its

polarity and be re-emitted as "depolarized" light. The depolarized light reveals nitrogen content and other properties the proprietary sensors in the N-Checker can detect.

Changes in nitrogen levels change the way light interacts with the molecules in the leaf, characteristically affecting the spectrum of light that re-emits from the plant. Chlorophyll molecules, in particular, contain nitrogen atoms that play a critical role in photosynthesis.

The researchers have experimented with two versions of their apparatus. The original version channels broad-spectrum light from a xenon flashlamp through a series of calcite crystals to illuminate each corn, sugar beet, cotton or other broad-leaf crop with a tiny, transient spot of polarized light. Moving from leaf to leaf, that system can measure nitrogen levels in 60 plants per minute.

Instead of a broad-spectrum lamp as its source, the N-Checker uses two red-light sources that cut down on sensor and polarizer costs and increase the system speed. The red region of the electromagnetic spectrum is important because it reveals not just total chlorophyll content, but also relative amounts of the various types of chlorophyll molecules.

"Other devices use both red and infrared wavelengths," says Finkelman. "Those devices tend to be imprecise because they measure bulk chlorophyll content, which can result from a number of factors." By using two specific, visible, red wavelengths, the N-Checker can differentiate among the several types of chlorophyll molecules and therefore reveal nitrogen-dependent plant health information.

The N-Checker can take 1000 measurements per second--at least every 10th of an inch--while moving at roughly 5 miles an hour. At that speed, a farmer could survey and fertilize tens of acres in a day, or hundreds of acres per day with a multi-sensor system.

*Copyright 2005 by Space Daily, Distributed by United Press International*

Citation: A Field Of Beams (2005, July 26) retrieved 23 April 2024 from  
<https://phys.org/news/2005-07-field.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.