

Chickens orient using a magnetic compass

August 22 2005



It has been known for some time that many species of birds use the Earth's magnetic field to select a direction of movement--for example, during migration. However, although such birds clearly have a sense of direction, until now it has not been possible to train birds to move in a certain direction in the laboratory, even if they are motivated by a food reward. The reasons for this failure have been perplexing, but researchers now report that they have been able to successfully accomplish this training task, providing new insight into the evolution of magnetic sensing and opening new opportunities for further study of magnetoreception.

In the new work, researchers including Rafael Freire from the University of New England (Australia), Wolfgang Wiltschko and Roswitha

Wiltchko from the University of Frankfurt, Germany, and Ursula Munro from the University of Technology in Sydney, demonstrated for the first time that birds could be trained to respond to a magnetic direction. The researchers trained domestic chicks to find an object that was associated with imprinting and was behind one of four screens placed in the corners of a square apparatus, and, crucially, showed that the chicks' direction of movement during searching for the hidden imprinting stimulus was influenced by shifting the magnetic field.

One important difference between this work and earlier attempts to train birds is that the researchers used a social stimulus to train the birds, whereas most previous attempts have used food as the reward. The authors of the study hypothesize that in nature, birds do not use magnetic signals to find food, and tests involving such a response may be alien to them.

It is expected that this work will facilitate current efforts to understand how birds detect the magnetic field, because the new approach does not rely on complex behaviors, such as migration or homing, that are difficult to study in the laboratory and are dependent on the time of year. The work also shows that the ability to orient with magnetic cues is not only present in an ancient avian lineage dating back to the cretaceous period, but has also been retained in a nonmigrating bird after thousands of years of domestication.

Source: Cell Press

Citation: Chickens orient using a magnetic compass (2005, August 22) retrieved 17 April 2024 from <https://phys.org/news/2005-08-chickens-magnetic-compass.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.