

Fingerprints provide crucial clue to new nanofiber fabrication technique

January 26 2006

Fingerprints are usually used to identify people but, this time, they gave Penn State chemical engineers the crucial clue needed to discover an easy, versatile new method for making nanofibers that have potential uses in advanced filtration as well as wound care, drug delivery, bioassays and other medical applications.

The new technique is based on the way forensic scientists develop fingerprints from a crime scene and is easier and more versatile than either of the current methods, templates or electrospinning, used commercially to make nanofibers. The first nanofibers generated by the technique are made from the basic ingredient of Super Glue , cyanoacrylate, which is a biologically-compatible material already used in liquid sutures, spheres for drug delivery and in experimental cancer treatment. However, the researchers say that other materials, like cyanoacrylate, that form solid polymers when nudged by a catalyst could potentially also be used in the process.

Dr. Henry C. Foley, professor of chemical engineering who directed the project, says, "The new technique is so versatile that it allows us not only to make nano-scale fibers but also nano-sized flat sheets, spheres and even wrinkled sheets that look tortellini-like."

The researchers can also generate patterned surfaces and say that the process could conceivably be used in an ink jet printer.

The research is detailed in a paper, "Facile Catalytic Growth of



Cyanoacrylate Nanofibers," published online today (Jan. 26) in the British journal, The Royal Society of Chemistry, Chemical Communications. The authors are Pratik J. Mankidy, doctoral candidate in chemical engineering; Ramakrishnan Rajagopalan, research associate at Penn State's Materials Research Laboratory, and Foley, who is also associate vice president for research at the University. The journal is available at: <u>xlink.rsc.org/?DOI=B514600C</u>

Foley explains that forensic scientists develop latent fingerprints via a process known as cyanoacrylate fuming. Fingerprints left on a surface are exposed to fumes of cyanoacrylate, which form a white polymer residue that makes the ridges of the fingerprint visible.

One of the researchers, Pratik Mankidy, had accidentally left his fingerprints on a piece of research equipment that had been secured with Super Glue and nanofibers appeared. Putting two and two together, the researchers set out to discover what constituents of fingerprints trigger the cyanoacrylate polymerization on the ridges of fingerprints. They made synthetic fingerprints from a mixture of a known polymer initiator, common table salt in water, and a non-initiator, linoleic acid, found on fingers. Then they exposed the fake prints to cyanoacrylate fuming. Sure enough, they got nanofibers similar to the ones Mankidy's fingerprints had generated accidentally. They also fumed cyanoacrylate on single initiators and found that sodium hydroxide, potassium hydroxide and potassium acetate produced tortellini-like films of the polymer. When ammonium hydroxide was fumed with cyanoacrylate, it produced nano-sized spheres.

The researchers note that the role played by the presence of the noninitiating components in the fingerprint mixture is not completely understood. They are continuing their experiments to understand the process more completely. A majority of the fibers produced by the new process have diameters in the 200-250-nanometer range and are



hundreds of microns long. Typically, nanofibers that are currently commercially available are in this same range. Foley notes, "Our findings open up a whole new world of opportunity for control of nanoscale structures through chemistry via catalysis."

Source: Penn State

Citation: Fingerprints provide crucial clue to new nanofiber fabrication technique (2006, January 26) retrieved 2 May 2024 from <u>https://phys.org/news/2006-01-fingerprints-crucial-clue-nanofiber-fabrication.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.