

Giant filament structures give a rare insight into galaxy cluster evolution

April 5 2006



The RGB image of the BIG group. Blue is H α Net band, Red is r' band and Green is H α on band.

A new image of the centre of a cluster of galaxies has revealed massive filamentary structures that give a rare insight into the evolution of galaxy clusters.

“The star forming regions in the cluster that we’d observed previously were just the tip of the iceberg. We’ve now observed filaments of gas streaming out from these regions that are approximately 490 thousand light years across. The gaseous trails mark the path of galaxies travelling

at high speed through the cluster.

The origin of these unique features is still a matter for debate, but we think the combined action of tidal forces among galaxies in the cluster and of ram-pressure by the ambient medium caused the galaxies to fragment and blast out the ionized gas,” said Dr Luca Cortese, who is presenting the results at the Royal Astronomical Society’s National Astronomy Meeting on 5th April.

An international team, lead by Dr Cortese, studied the physical properties of a compact group that is falling towards the centre of a cluster of galaxies known as Abell1367 at a rate of 1700 km/s. The group, which was discovered in 2002, has the highest density of star forming objects ever observed in local clusters. It contains two giant galaxies, at least ten dwarf galaxies or extragalactic clouds of gas and over a billion solar masses of diffuse gas filaments.

Scientists believe that clusters of galaxies are formed from the accretion of compact groups like the one observed in Abell1367. Formation of clusters of galaxies peaked 5 billion years ago. Now the rate is at least three times lower and it will slow dramatically due to the effects of the acceleration of the Universe. The Abell1367 group is particularly important as it is only 300 million light years from Earth – ‘local’ in terms of the Universe – and so the scientists can see the processes at work in unprecedented detail. Dr Cortese explains, “The physical processes seen here are typical of young clusters, found far away in space and a long time ago. To really understand what’s going on, we need a close up view. This is the first time we have found an example of a galaxy group mid-way through its transformation that is close enough for us to have a really good look at the structures surrounding the galaxies.”

The results suggest that at least part of the changes to the structure of cluster galaxies that took place in earlier epochs happened very

differently to ones observed in today's clusters. In today's clusters of galaxies, the galaxies are travelling faster than in the infalling groups, which means that gravitational interactions between galaxies happen much faster.

The study was carried out using the Italian National Telescope Galileo in La Palma in April 2004 and February 2006.

The results of this study are accepted for publication on *Astronomy and Astrophysics*.

Source: Royal Astronomical Society

Citation: Giant filament structures give a rare insight into galaxy cluster evolution (2006, April 5) retrieved 27 April 2024 from <https://phys.org/news/2006-04-giant-filament-rare-insight-galaxy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.