


Mercury atomic clock keeps time with record accuracy

July 14 2006



NIST physicist Jim Bergquist holds a portable keyboard used to set up the world's most accurate clock. The silver cylinder in the foreground is a magnetic shield that surrounds a cryogenic vacuum system, which in turn holds the heart of the clock, a single mercury ion (electrically charged atom). The ion is brought to rest by laser-cooling it to near absolute zero. Credit: ©Geoffrey Wheeler

An experimental atomic clock based on a single mercury atom is now at least five times more precise than the national standard clock based on a "fountain" of cesium atoms, according to a paper by physicists at the Commerce Department's National Institute of Standards and Technology (NIST) in the July 14 issue of *Physical Review Letters*.

The experimental clock, which measures the oscillations of a mercury ion (an electrically charged atom) held in an ultra-cold electromagnetic trap, produces "ticks" at optical frequencies. Optical frequencies are much higher than the microwave frequencies measured in cesium atoms in NIST-F1, the national standard and one of the world's most accurate clocks. Higher frequencies allow time to be divided into smaller units, which increases precision.

A prototype mercury optical clock was originally demonstrated at NIST in 2000. Over the last five years its absolute frequency has been measured repeatedly with respect to NIST-F1. The improved version of the mercury clock is the most accurate to date of any atomic clock, including a variety of experimental optical clocks using different atoms and designs.

The current version of NIST-F1--if it were operated continuously--would neither gain nor lose a second in about 70 million years. The latest version of the mercury clock would neither gain nor lose a second in about 400 million years.

"We finally have addressed the issue of systemic perturbations in the mercury clock. They can be controlled, and we know their uncertainties," says NIST physicist Jim Bergquist, the principal investigator. "By measuring its frequency with respect to the primary standard, NIST-F1, we have been able to realize the most accurate absolute measurement of an optical frequency to date. And in the latest measurement, we have also established that the accuracy of the mercury-ion system is at a level superior to that of the best cesium clocks."

Improved time and frequency standards have many applications. For instance, ultra-precise clocks can be used to improve synchronization in navigation and positioning systems, telecommunications networks, and wireless and deep-space communications. Better frequency standards

can be used to improve probes of magnetic and gravitational fields for security and medical applications, and to measure whether "fundamental constants" used in scientific research might be varying over time--a question that has enormous implications for understanding the origins and ultimate fate of the universe.

Scientists have long recognized that optical atomic clocks could be more stable and accurate than cesium microwave clocks, which have kept world time for more than 50 years. Even with the latest results at NIST, however, optical clocks based on mercury, strontium or other atoms remain a long way from being accepted as standards. Research groups around the world would first need to agree on an atom and clock design to be used internationally.

In addition, a system of additional optical clocks would be needed to continuously keep time, because primary standard clocks--such as the mercury ion or other future optical standard--are generally operated only periodically for calibrations. NIST-F1, for instance, is operated several times a year for periods of about one month to calibrate the frequencies of several NIST microwave atomic clocks that continuously track current time. These clocks contribute to an international group of atomic clocks that define the official world time.

Source: National Institute of Standards and Technology (NIST)

Citation: Mercury atomic clock keeps time with record accuracy (2006, July 14) retrieved 9 April 2024 from <https://phys.org/news/2006-07-mercury-atomic-clock-accuracy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
