

High-Flying Balloons Track Hurricane Formation

August 31 2006



A hurricane-tracking driftsonde shimmers during a sunrise test. Credit: NCAR

The eastern tropical Atlantic Ocean is out of range for U.S. hurricane-hunter aircraft, and forecasters have little skill predicting which systems brewing there will develop into hurricanes, atmospheric scientists say. So, to find out how some of the most dangerous hurricanes form, U.S. and French researchers are launching large, specialized balloons carrying nearly 300 instruments over wide swaths of Africa and the Atlantic Ocean.

The first launch of a balloon with its instruments, called a driftsonde, took place at Zinder, Niger, on Aug. 28. Some seven more driftsondes will be released from Zinder through late September, coinciding with the

peak period of hurricane formation over the tropical Atlantic.

"Data from the driftsondes should help characterize the conditions that either foster or suppress hurricane formation," said the National Science Foundation's (NSF) Cliff Jacobs, who oversees support for the National Center for Atmospheric Research (NCAR) in Boulder, Colo.

Scientists and engineers at NCAR and the French space agency, CNES, developed the driftsondes. The research was funded by NSF, NCAR's primary sponsor, and the National Oceanic and Atmospheric Administration.

Each balloon will drift from Africa toward the Caribbean at heights of around 65,000-70,000 feet, where light easterly winds prevail. Twice a day, each balloon will release an instrument known as a dropsonde that falls by parachute, sensing the weather conditions during its 20-minute descent and sending data back to the balloon and then to the researchers by satellite.

Scientists will control the process from an operations center in Paris. If a weather system develops, they can signal the balloon to release additional dropsondes as often as once per hour.

The Niger site was selected to study weak weather systems, called easterly waves, that serve as seedlings of hurricanes. Dozens of these waves move across Africa into the Atlantic between about 10 and 20 degrees North. A small number develop into tropical storms and hurricanes, some of which reach the U.S. Atlantic and Gulf coasts.

"The driftsondes will provide unique data on the conditions that lead to Atlantic hurricanes," said NCAR scientist David Parsons, U.S. coordinator for the project. "They float at a speed close to the movement of the easterly waves, so we can stay above those waves and monitor

them from their earliest stages."

To build the driftsonde system, scientists, engineers, and machinists had to overcome many hurdles. Each driftsonde had to be robust enough to endure days of extreme stratospheric cold (averaging minus-80 degrees Fahrenheit) as well as the intense sunlight of the high, thin atmosphere.

For the balloon deployment to be affordable and practical, the system also required low-cost, lightweight, off-the-shelf instruments capable of operating reliably in low pressure and in temperature extremes with very low power.

Because of their flexible and relatively inexpensive nature, scientists believe, driftsondes may soon become a popular way to monitor and study many types of weather across the world's oceans and other remote regions.

Source: NSF

Citation: High-Flying Balloons Track Hurricane Formation (2006, August 31) retrieved 26 April 2024 from <https://phys.org/news/2006-08-high-flying-balloons-track-hurricane-formation.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.