

Colliding galaxies make love, not war

October 17 2006



This Hubble image of the Antennae galaxies is the sharpest yet of this merging pair of galaxies. As the two galaxies smash together, billions of stars are born, mostly in groups and clusters of stars. The brightest and most compact of these are called super star clusters. Credit: Credit: NASA, ESA, and B. Whitmore (Space Telescope Science Institute). Acknowledgement: James Long (ESA/Hubble).

A new Hubble image of the Antennae galaxies is the sharpest yet of this merging pair of galaxies. As the two galaxies smash together, billions of stars are born, mostly in groups and clusters of stars. The brightest and most compact of these are called super star clusters.

The Universe is an all-action arena for some of the largest, most slowly evolving dramas known to mankind. A new picture taken by the Advanced Camera for Surveys (ACS), onboard the NASA/ESA Hubble Space Telescope, shows the "best ever" view of the Antennae galaxies - seemingly a violent clash between a pair of once isolated galaxies, but in reality a fertile marriage. As the two galaxies interact, billions of stars are born, mostly in groups and clusters of stars. The brightest and most compact of these are called super star clusters.

The two spiral galaxies started to fuse together about 500 million years ago making the Antenna galaxies the nearest and youngest example of a pair of colliding galaxies. Nearly half of the faint objects in the Antennae are young clusters containing tens of thousands of stars. The orange blobs to the left and right of image centre are the two cores of the original galaxies and consist mainly of old stars criss-crossed by filaments of dark brown dust. The two galaxies are dotted with brilliant blue star-forming regions surrounded by pink hydrogen gas.

The image allows astronomers to better distinguish between the stars and super star clusters created in the collision of two spiral galaxies. The observations show that only about 10% of the newly formed super star clusters in the Antennae will live to see their ten millionth birthday. The vast majority of the super star clusters formed during this interaction will disperse, with the individual stars becoming part of the smooth background of the galaxy. It is however believed that about a hundred of the most massive clusters will survive to form regular globular clusters, similar to the globular clusters found in our own Milky Way galaxy.

The Antennae galaxies take their name from the long antenna-like "arms" extending far out from the nuclei of the two galaxies, best seen by ground-based telescopes. These "tidal tails" were formed during the initial encounter of the galaxies some 500 million years ago. They give us a preview of what may happen when our Milky Way galaxy likely

collides with the neighbouring Andromeda Galaxy about 6 billion years from now.

Source: ESA/Hubble Information Centre

Citation: Colliding galaxies make love, not war (2006, October 17) retrieved 19 April 2024 from <https://phys.org/news/2006-10-colliding-galaxies-war.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.