

Magnetic whirlpools feed Earth's magnetosphere

December 6 2006



This image shows a three-dimensional cut-away view of the magnetic 'bubble' surrounding Earth, called magnetosphere. The curly features sketched on the boundary layer are the so-called 'Kelvin-Helmholtz' vortices discovered by Cluster [Hasegawa et al., 2004]. The vortices, or whirlpools, originate where two adjacent flows of electrically charged gas (plasma) travel with different speed. In this case, one of the flows is the heated gas inside the boundary layer of the magnetosphere, the other one is the solar wind just outside it. The white dashed arrow shows the trajectory followed by Cluster when the vortices where discovered. Credits: ESA/Hasegawa et al.

Giant whirlpools of electrically charged gas, some 40 000 kilometres



across, have been witnessed above the Earth by a team of European and American scientists. Using data from ESA's Cluster quartet of spacecraft, the researchers have shown that these whirlpools inject electrified gas into the magnetic environment of the Earth.

The magnetic field generated inside the Earth protects the planet from the electrically charged particles given out by the Sun. However, it is only a partially effective shield.

In the same way that a car can only travel along roads, electrically charged gas, known as plasma, can only travel along magnetic field lines, never across them. For a car to suddenly change direction, it has to use a road junction.

For a particle of plasma to suddenly jump onto a different field line, there has to be a reconnection event. In a reconnection, magnetic fields lines spontaneously break and then join up with other nearby lines. In doing so, the plasma is suddenly redirected along new routes.

Scientists know this happens in Earth's magnetosphere because of changes to the plasma sheet. This is one of the inner regions of the Earth's magnetic field. Plasma in the sheet is usually hot and tenuous, whereas the solar wind is cooler and denser. At certain times, the sheet fills with cooler and denser plasma over the course of a few hours.

For this to happen, the solar wind plasma must somehow be able to cross the Earth's magnetic boundary, known as the magnetopause. Yet, until now scientists had no observational evidence that reconnection inside whirlpools contribute to this process. "Wondering how the solar wind could get into the plasma sheet is how I became interested in this problem," says Katariina Nykyri, lead author of the results, from the Imperial College, London, UK.



Together with colleagues, Nykyri began investigating a strange event recorded by Cluster on 3 July 2001. At this time, Cluster was passing the dawn side of the Earth. In this region of space, the solar wind is sliding past the Earth's magnetopause, in roughly the same way as wind blows across the surface of an ocean.

A previous Cluster observation had shown that whirlpools of plasma can be whipped up by this configuration. Such whirlpools are known as Kelvin-Helmholtz instabilities and scientists suspected them of being the location of magnetic reconnection but no one had found any conclusive evidence that this was the case.

Cluster can recognise magnetic reconnection because of what researchers call 'rotational discontinuities'. These show up as sudden changes in the direction of the plasma flow and magnetic field. After a painstaking analysis, Nykyri found just such rotational discontinuities in the data for 3 July 2001. To be certain of her result, she reanalysed the data four times.

Then she developed a computer model to simulate the event. The computer showed that the Cluster data was only understandable if the whirlpools were causing magnetic reconnection to take place. In these reconnections, plasma was being fed down through the magnetic boundary of Earth and into the magnetosphere.

The work does not stop there. Nykyri and colleagues are now developing more sophisticated computer simulations to understand the whirlpools' three-dimensional behaviour. "This is a very big challenge," she says, because of the additional numerical processes involved.

She also plans to search the Cluster data archive for more examples of these events.



Source: European Space Agency

Citation: Magnetic whirlpools feed Earth's magnetosphere (2006, December 6) retrieved 2 May 2024 from <u>https://phys.org/news/2006-12-magnetic-whirlpools-earth-magnetosphere.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.