

Researchers observe superradiance in a free electron laser

January 19 2007

A team of researchers at the U.S. Department of Energy's (DOE) Brookhaven National Laboratory has generated extremely short light pulses using a new technique that could be used in the next generation of light source facilities around the world to catch molecules and atoms in action.

Published on January 19, 2007 in *Physical Review Letters*, the research team's findings describe the use of a laser to control the pulse duration of light from a free electron laser (FEL), a type of light source with a brightness up to one billion times higher than that of ordinary synchrotron light. The team also reports the first experimental observation of a phenomenon called superradiance.

Most of the world's light sources – facilities such as Brookhaven's National Synchrotron Light Source (NSLS) that produce x-ray, ultraviolet, and infrared light for research in fields ranging from biology to nanotechnology – produce a broad range of wavelengths, or colors of light.

This is ideal for hosting a wide variety of experiments, but to understand how molecules change their structure in chemical and biological systems, scientists need extremely short pulses of light (shorter than one trillionth of a second) with short wavelengths. This is where FELs are valuable, as they can provide pulses of light that are a thousand times shorter than those produced at existing light sources and contain a million more photons per pulse. Like a strobe flash, the ultra-short FEL allows

scientists to take time-resolved images of biological and chemical processes and various other atomic-scale events.

"In existing light sources, we just take a static snapshot of a sample," said NSLS physicist Takahiro Watanabe, one of the paper's authors. "We get the location of the pieces, but what happens if the pieces move? You don't know how they actually got there. What you want is to take images along the way to see these things move, and that's where these ultra-fast sources come into play."

Synchrotron light is produced by accelerating of a beam of electrons and sending it through a magnetic field. Generally, the pulse duration of both synchrotron and FEL light is determined by that of the electron beam. Tremendous effort has been devoted to generating short electron pulses, but scientists have been unable to shorten the electron pulse past a certain point because of forces that repel the electrons in the beam away from each other. At Brookhaven's Source Development Lab (SDL), researchers found a way to generate a very short FEL pulse that doesn't depend on the length of the electron pulse.

This was done using a titanium-sapphire laser that combines a femtoseconds pulse of light with the much longer electron beam. A femtosecond is extremely fast – one billionth of one millionth of a second. This leads to a femtosecond FEL pulse that keeps growing in intensity and shortening in time duration, which is attributed to a phenomenon called superradiance.

"The electron beam and the laser beam don't move at the same speed, they slip a little bit," Watanabe said. "So this scenario provides new areas on the electron beam for the interaction to continue and allows the intensity of light to keep growing."

Superradiance was first proposed in 1954 as the most efficient way to

extract energy from either atomic or molecular systems, but the SDL research group is the first to experimentally observe its effects in this type of FEL setup. Understanding how to produce these intense, ultrafast pulses of light could help scientists around the world as they begin to construct the next generation of light source facilities.

Source: Brookhaven National Laboratory

Citation: Researchers observe superradiance in a free electron laser (2007, January 19) retrieved 25 April 2024 from <https://phys.org/news/2007-01-superradiance-free-electron-laser.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.