

# Why do oysters choose to live where they could be eaten?

May 1 2007

---

There are many reasons why living in dense groups with others of your own kind is a good idea. Oftentimes, aggregations of a species serve as protection from predators and harsh environments or may be beneficial to future reproductive success. However, in the case of oyster larvae, the selection of a place to call home can be a life or death decision.

According to an article in the May edition of *Ecological Monographs*, a team of scientists has found that despite the risk of being eaten by cannibalistic adults, oyster larvae choose to settle in areas of high oyster concentrations to take advantage of future benefits of increased reproductive capacity when they mature.

"Oyster larvae make a life or death decision when they get their one chance to select where to attach themselves to the bottom," said University of Maryland Center for Environmental Science Chesapeake Biological Laboratory researcher Dr. Mario Tamburri. "Our research shows that oyster larvae are willing to risk predation by adult oysters to cash in on the benefits accrued by spending the remainder of their lives among a large number of their species."

Tamburri worked with UCLA researcher Drs. Richard K. Zimmer and Cheryl Ann Zimmer to examine this apparent paradox. The group set out to find: (1) if oyster larvae are attracted to settle on oyster reefs among adults of the same species because of the potential benefits to group-living, (2) if adult oysters will eat larvae of the same species, and (3) how risky is gregarious settlement among cannibals.

Using a series of laboratory experiments and field surveys, Tamburri has demonstrated that oyster larvae are attracted from a distance by the scent of adults from the same species. Yet, death for a larvae captured by a feeding adult is nearly certain at greater than 90 percent.

A series of experiments examining the feeding currents produced by adult oysters and how larvae actively settle on reefs helped solved the puzzle. Oyster feeding currents are actually very weak, so while they will readily eat larvae if captured, settling larvae are just not captured very often. In fact, when a comparison of being captured versus landing on a suitable location to grow was conducted, it was found that more than 95 percent of an oyster reef is a safe zone for larvae. Given this low cannibalism risk at settlement, future payoffs appear to have driven the evolution of a gregarious settlement cue that promotes group living in oysters.

Source: University of Maryland

Citation: Why do oysters choose to live where they could be eaten? (2007, May 1) retrieved 23 April 2024 from <https://phys.org/news/2007-05-oysters-eaten.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.