


# Team discovers 'throttle' for solar wind

May 17 2007

---



These are false-color images of ultraviolet light emitted by the solar atmosphere taken with SOHO's Extreme-ultraviolet Imaging Telescope. Note how more structures appear in the atmosphere as the solar maximum of 2000 approaches, from the left image in early 1997 to the right image in late 1999. These changing structures regulate the escape of helium in the solar wind. Image courtesy: ESA and NASA

Helium may act as a "throttle" for the solar wind, setting its minimum speed, according to new results from an MIT-led team using NASA's Wind spacecraft.

The solar wind is a diffuse stream of electrically conducting gas (plasma) constantly blowing from the sun. "This result gives us another clue about how the solar wind is accelerated, which may help us better understand

space weather," said Justin Kasper, a research scientist at MIT's Kavli Institute for Astrophysics and Space Research and lead author of a paper on this research that appeared in the *Astrophysical Journal* May 1.

When turbulent solar wind hits Earth's magnetic field, it can cause magnetic storms that overload power lines and radiation storms that disrupt spacecraft.

The new research could also lead to a deeper understanding of plasma physics, which is of interest because stars are made of plasma and plasma is used in advanced devices like plasma TVs and experimental fusion reactors.

The sun's atmosphere, or corona, can be seen from Earth during the peak of a total solar eclipse, when it appears as a shimmering halo around the moon. At the beginning of the space age, scientists discovered that the corona is being blown into space as the solar wind, so we are actually embedded in the atmosphere of the sun. Later observations revealed the solar wind blows at a minimum speed of about 260 kilometers per second (161 miles/second). No one knows why this particular speed is in effect.

Hydrogen, the most common element in the universe, makes up most of the sun and the solar wind. Helium is the second most abundant element, but it is much rarer in the solar wind than it is elsewhere in the universe. The team discovered that the abundance of helium increased as the solar wind speed increased, from near zero around the minimum speed to more than four helium atoms for every 100 hydrogen atoms at speeds greater than about 500 kilometers per second (310 miles/second).

Because helium nearly vanishes from the solar wind at its minimum speed, the researchers believe helium might somehow set the minimum speed. Helium is not accelerated efficiently by any process thought to be

propelling the solar wind. Instead, it has to be dragged along by the hydrogen: Solar wind hydrogen atoms exert a small electric field that drags the helium out along with it, according to the team.

When helium hitches a ride with hydrogen, it slows down the hydrogen atoms. "At the minimum speed--the speed where the solar wind is no longer able to drag out helium--the solar wind itself can't escape either," said Dr. Keith Ogilvie of NASA's Goddard Space Flight Center, Wind Project Scientist and a co-author on the paper.

"It's still not clear exactly how the helium sets the minimum speed at its particular value of around 260 kilometers per second, or why more helium is found as the solar wind speed increases, but it's a clue that we are missing something fundamental about what makes the solar wind blow," said Kasper.

It's also unknown what gets the solar wind blowing again once it falls below its minimum speed, but there are hints the process may be related to violent eruptions of plasma from the sun called coronal mass ejections, or CMEs. CMEs have five to 10 times the amount of helium seen in the solar wind, according to the team. As the solar wind stagnates, helium builds up until the plasma is explosively released as a CME in this scenario. Earthbound CMEs also cause disruptions in satellites, power systems and radio communication, including the Global Positioning System.

The team used the solar wind experiment (SWE) instrument on board the Wind spacecraft to sample the solar wind. The SWE instrument uses an electric field to measure the speed, density and temperature of hydrogen and helium in the solar wind. The results were compiled from about 2.5 million measurements by the instrument over more than 10 years. "The SWE instrument has been extremely stable over all this time, so we know the changes we see in the solar wind are real and not just

from changes in the instrument," said Ogilvie.

Additional authors of the *Astrophysical Journal* paper are Michael L. Stevens, a graduate student in MIT's Department of Physics; Alan J. Lazarus, a senior research scientist in physics; and John T. Steinberg of Los Alamos National Laboratory.

Source: MIT

Citation: Team discovers 'throttle' for solar wind (2007, May 17) retrieved 25 April 2024 from <https://phys.org/news/2007-05-team-throttle-solar.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.