

Switchable Adhesive

July 24 2007

Two surfaces stick together, separate, and stick together again—on command. This discovery by a team of researchers from the Universities of Sheffield (UK) and Bayreuth contradicts our day-to-day experience.

In the animal kingdom, geckos can climb up vertical inclines, displaying an incredible switchable adhesion as they do so. Insects also use another form of switchable adhesion to sit on your ceiling and then fly off before you climb up on your chair with a rolled-up newspaper.

How these animals can switch off and on adhesion is not yet understood in detail. But the scientists led by Mark Geoghegan reveal the secret of their “intelligent” adhesion in the journal *Angewandte Chemie*.

One of the surfaces involved consists of a polyacid gel, a three-dimensionally cross-linked polymer containing many acid groups. This polymer network is so heavily soaked in liquid that it forms a solid, gelatinous mass. The second surface is a silicon chip onto which a polybase has been deposited.

This polybase consists of polymer chains that stretch brush-like from the support and contain many basic groups. In water or slightly acidic solution, the acidic groups carry a positive charge while the basic groups are negatively charged; this causes them to attract each other. In addition to this electrostatic attraction, hydrogen bonds are also formed, which causes the two surfaces to be tightly stuck together.

If the surrounding solution is made more strongly acidic (a pH value of

about 1), the bonds break up, the basic groups lose their charge, and the electrostatic attraction lets up. The two surfaces can then be slowly and carefully separated from each other without any damage. This detachment is reversible: If the pH value is raised again, making the solution less acidic, the gel and “brush” stick to each other once again. This cycle can be repeated many times by simply changing the pH value.

Possible applications for such “smart” surface pairs include microelectromagnetic components (actuators), components for microfluidic systems, or carriers for pharmacological agents that could release their cargo under specific physiological conditions.

Citation: Mark Geoghegan, Controlling Network–Brush Interactions to Achieve Switchable Adhesion, *Angewandte Chemie International Edition*, doi: 10.1002/anie.200701796

Source: *Angewandte Chemie*

Citation: Switchable Adhesive (2007, July 24) retrieved 19 April 2024 from <https://phys.org/news/2007-07-switchable-adhesive.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.