

Boosting the accuracy of Rosetta's Earth approach

October 19 2007



Stunning image taken by the CIVA imaging instrument on Rosetta's Philae lander just 4 minutes before closest approach at a distance of some 1000 km from Mars. A portion of the spacecraft and one of its solar arrays are visible in nice detail. Beneath, the Mawrth Vallis region is visible on the planet's disk. Mawrth Vallis is particularly relevant as it is one of the areas on the Martian surface where the OMEGA instrument on board ESA's Mars Express detected the presence of hydrated clay minerals - a sign that water may have flown abudantly on that region in the very early history of Mars. Credits: CIVA / Philae / ESA Rosetta

Yesterday, 18 October at 18:06 CEST, the thrusters of ESA's comet



chaser, Rosetta, were fired in a planned, 42-second trajectory correction manoeuvre designed to 'fine tune' the spacecraft's approach to Earth. Rosetta is now approaching Earth for its second planetary swing-by of 2007.

After passing Mars in April 2007, Rosetta is now approaching Earth for the second time - the third of four planetary swing-bys that provide fuel-saving gravitational assists enabling the spacecraft to ultimately reach and cross the orbit of comet 64P/Churyumov-Gerasimenko in 2014.

Rosetta's closest approach is predicted for 21:57 CET at a height of 5301 km over the Pacific Ocean and a speed of 45 000 km/h relative to the Earth. The third and last Earth swing-by will take place in November 2009.

Rosetta lines up

"We have a target trajectory for Earth swing-by and regular orbit determinations allow us to decide when to do a correction manoeuvre. Brief burns now allow us to optimise the orbit and make the swing-by more accurate, saving us a lot of precious fuel later on," said Andrea Accommazzo, Rosetta Spacecraft Operations Manager at ESOC. He confirmed that yesterday's manoeuvre results were as expected.

A second trajectory correction slot, on 1 November, may also be used depending on results of an orbit determination scheduled for 30 October.

ESA's comet chaser

Rosetta will be ESA's first spacecraft to undertake long-term exploration of a comet at close quarters. The mission consists of a large orbiter, designed to operate for a decade at large distances from the Sun, and a



small lander, Philae. Each of these carries a large suite of scientific experiments designed to complete the most detailed study of a comet ever attempted.

After entering orbit around Comet 67P/Churyumov-Gerasimenko in 2014, the spacecraft will release the lander onto the icy nucleus. It will then spend the next two years orbiting the comet as it heads towards the Sun. On the way to Comet Churyumov-Gerasimenko, Rosetta has received gravity assists from Earth and Mars, and will fly past two mainbelt asteroids – Steins (September 2008), and Lutetia (July 2010).

Source: European Space Agency

Citation: Boosting the accuracy of Rosetta's Earth approach (2007, October 19) retrieved 20 March 2024 from https://phys.org/news/2007-10-boosting-accuracy-rosetta-earth-approach.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.