

Ripe Fruit Preferred

November 5 2007

Fall, the season of colors: Leaves turn red, yellow, and brown. The disappearance of the color green and the simultaneous appearance of these other colors are also signs of ripening fruit.

A team led by Bernhard Kräutler at the University of Innsbruck (Austria) has now determined that the breakdown of chlorophyll in ripening apples and pears produces the same decomposition products as those in brightly colored leaves. As the researchers report in the journal *Angewandte Chemie*, these colorless decomposition products, called nonfluorescing chlorophyll catabolytes (NCC), are highly active antioxidants—making them potentially very healthy.

The beautifully colored leaves of fall are a sign of leaf senescence, the programmed cell death in plants. This process causes the disappearance of chlorophyll, which is what gives leaves their green color. For a long time, no one really knew just what happens to the chlorophyll in this process.

In recent years, Kräutler and his team, working with the Zurich botanists Philippe Matile and Stefan Hörtensteiner, have been able to identify the first decomposition products: colorless, polar NCCs that contain four pyrrole rings—like chlorophyll and heme.

Now the Innsbruck researchers have examined the peels of apples and pears. Unripe fruits are green because of their chlorphyll. In ripe fruits, NCCs have replaced the chlorophyll, especially in the peel and the flesh immediately below it. These catabolytes are the same for apples and



pears, and are also the same as those found in the leaves of the fruit trees. "There is clearly one biochemical pathway for chlorophyll decomposition in leaf senescence and fruit ripening," concludes Kräutler.

When chlorophyll is released from its protein complexes in the decomposition process, it has a phototoxic effect: When irradiated with light, it absorbs energy and can transfer it to other substances. For example, it can transform oxygen into a highly reactive, destructive form. As the researchers were able to demonstrate, the NCCs have an opposite effect: They are powerful antioxidants and can thus play an important physiological role for the plant.

It then became apparent that NCCs are components of the diets of humans and other higher animals, and that they could thus also play a role in their systems. Other previously identified important antioxidants in the peels of fruits include the flavonoids. Thus, the saying, "an apple a day keeps the doctor away" seems to be true, according to Kräutler.

Citation: Bernhard Kräutler, Colorless Tetrapyrrolic Chlorophyll Catabolites in Ripening Fruit Are Effective Antioxidants, *Angewandte Chemie International Edition* 2007, 46, No. 45, 8699–8702, doi: 10.1002/anie.200703587

Source: Angewandte Chemie

Citation: Ripe Fruit Preferred (2007, November 5) retrieved 22 May 2024 from https://phys.org/news/2007-11-ripe-fruit.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is



provided for information purposes only.