

# Crew oxygen for ISS loaded on Jules Verne

January 28 2008

---



Members of the launch integration team stand in front of Jules Verne following the operation to mate the spacecraft's Integrated Cargo Carrier with the Propulsion Module. Jules Verne is the first Automated Transfer Vehicle (ATV), Europe's resupply spacecraft for the International Space Station. Jules Verne is being prepared for launch at Europe's Spaceport in Kourou, French Guiana. (15 December 2007) Credits: 2007 - ESA /CNES/Arianespace/Photo optique video du CSG

Three weeks into delicate fuelling operations, Jules Verne Automated Transfer Vehicle has also been successfully loaded with oxygen. In orbit this will be transferred to the International Space Station's atmosphere for the crew to breathe.

The maiden voyage of the first European International Space Station (ISS) resupply spaceship is targeted for no earlier than 22 February.

Teams from Astrium sites in Bremen, Lampoldshausen (Germany), Stevenage (United Kingdom) and Les Mureaux (France) are in charge of these time-consuming and delicate operations. Wearing special protective suits, the teams work in three shifts. Specialists from Thales Alenia Space, Italy, are involved in loading the highly explosive pure oxygen gas.

“The engineers first created a vacuum in the ATV gas tank and its circuit. Then, after checking the system is leak-proof, they connected the oxygen tank to transfer the gas,” said Dominique Siruguet, ESA ATV Campaign Manager. “But before this, they had to implement many strict safety procedures and create a very clean environment. This is all time consuming but necessary to avoid any risk with the highly explosive and flammable oxygen.”

Many of the safety measures are needed to prevent any hydrocarbon particles from entering the on board and ground equipment, where they would present a fire risk. For this operation, a team of certified experts, different from the ‘scapemen’ who perform the propellant fuelling, wear white non-flammable suits to handle the oxygen.

## **Four-tonne limit**

From now until the end of the month, the largest quantity of propellant will be loaded on board Jules Verne: around 2 200 kg of MMH (Monomethylhydrazine) and 3 600 kg MON3 (Mixed Oxides of Nitrogen) propellant which will be used by ATV’s own propulsion system.

ATV will use these propellants for its autonomous navigation towards

the International Space Station (ISS) and, once docked, to contribute to the Station's attitude and orbit control, including re-boost of the whole space complex. Already around 860 kg of nitrogen tetroxide oxidiser (N<sub>2</sub>O<sub>4</sub>) and Russian produced UDMH (Unsymmetrical dimethylhydrazine) have been stored on board ATV.

With the amount of propellant in ATV about to exceed 4 tonnes, the safety rules at the Spaceport prohibit working on other satellites or spacecraft within the perimeter of the S5 integration building.

"In the first week of February, Jules Verne ATV – filled with a total 6.5 tonnes of four different propellants and 20 kg of oxygen – will be moved to the Final Assembly Building [BAF - Batiment d'Assemblage Final] where it will be mated to the Ariane 5 launcher. We then enter the Ariane 5/ATV 'combined operations plan', which ends with the final countdown," explains Nicolas Chamussy, ATV Programme Manager for EADS Astrium.

The whole Jules Verne ATV weighs 19.4 tonnes, including approximately 1 338 kg of 'dry cargo'. During fuelling and oxygen operations, the ATV is electrically completely shut down for safety reasons. Each day the whole spacecraft is activated to check the spacecraft's 'health', and charge the batteries once again.

Once in orbit, the 20 kg of oxygen carried up by Jules Verne ATV, is manually injected by the crew into the ISS atmosphere. For up to six months, the ATV remains attached, mostly in dormant mode with the hatch to the ISS open.

With the ATV docked, the Station crew can enter the cargo section and remove the payload: supplies, science hardware, and lightweight luggage bags. Meanwhile, the ATV's liquid tanks are connected to the Station's own plumbing and their propellant contents discharged.

According to the needs of the ISS and its partners, the ATV remains an integral Station element for up to six months, and delivers dry cargo, fuel, water and oxygen to the ISS.

Source: European Space Agency

Citation: Crew oxygen for ISS loaded on Jules Verne (2008, January 28) retrieved 3 May 2024 from <https://phys.org/news/2008-01-crew-oxygen-iss-jules-verne.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.