


Catalysis discovery takes aim at NO_x emissions

February 22 2008



PNNL scientists looking for better vehicle emission treatments have discovered how potential catalyst materials are constructed. Researchers found that, in the presence of water, aluminum ions (gray) on the surface of alumina bond to six oxygen ions (red). Heating removes the water and leaves some aluminum ions with only five oxygen ions. This creates a bonding site for the NO_x-removing catalyst barium oxide. Credit: Pacific Northwest National Laboratory

A discovery in molecular chemistry may help remove a barrier to widespread use of diesel and other fuel-efficient "lean burn" vehicle engines. Researchers at the Department of Energy's Pacific Northwest National Laboratory have recorded the first observations of how certain catalyst materials used in emission control devices are constructed.

The PNNL team observed how barium oxide attaches itself to the surface of gamma-alumina. Barium oxide is a compound that absorbs toxic nitrogen oxide, commonly referred to as NO_x, from tail-pipe emissions. Gamma alumina is a form of aluminum oxide that is used as a support for catalyst materials, such as barium oxide, that are the active ingredients in exhaust systems.

"The discovery is encouraging because understanding catalysts in molecular and atomic detail can directly identify new ways to improve them," said PNNL researcher Janos Szanyi. The manner in which barium oxide anchors onto alumina suggests the exact site where catalytic materials begin to form - and where they can be available to absorb NO_x emissions.

Lean burn engines deliver up to 35 percent better fuel economy because they mix more air with gasoline than standard internal combustion engines. But the more efficient engines can't meet strict emissions standards because current aftertreatment devices don't effectively reduce NO_x emissions. New catalysts are essential before the economic and environmental benefits of lean burn engines can be realized.

Alumina is a common and relatively inexpensive catalyst support material. Its surface structure, formation and thermal stability have been the subjects of much research, but the alumina particles are too small and poorly crystalline for traditional surface analysis. Researchers used the world's first 900-MHz nuclear magnetic resonance spectrometer to reveal the anchoring behavior. The instrument is located at the William R. Wiley Environmental Molecular Sciences Laboratory, a DOE national scientific user facility at PNNL.

Scientists know that the aluminum ions in alumina coordinate, or bond, to either four or six oxygen ions. When water is present, 10 to 15 percent of the aluminum ions on the surface bond to six oxygen ions: one

underneath to the bulk of the alumina, four in a square on the surface and one on top to an oxygen ion in the water molecule.

Removing the water by heating leaves the aluminum ion with only five oxygen bonds. In this "penta-coordinated" state, the aluminum is open for bonding to the barium oxide. Results from the NMR spectrometer showed that the catalyst filled every available penta-coordinated site, atom-for-atom.

The team is now examining the interaction of gamma-alumina with other metal and metal oxide particles to determine if penta-coordinated aluminum ions are suitable bonding locations for other catalytic materials.

Reference: Ja Hun Kwak, Jain Zhi Hu, Do Heui Kim, Janos Szanyi and Charles Peden. "Penta-coordinated Al^{3+} Ions as Preferential Nucleation Sites for BaO on $\gamma\text{-Al}_2\text{O}_3$." *Journal of Catalysis* 251(1):189-194. July 2007.

Source: Pacific Northwest National Laboratory

Citation: Catalysis discovery takes aim at NO_x emissions (2008, February 22) retrieved 2 May 2024 from <https://phys.org/news/2008-02-catalysis-discovery-aim-nox-emissions.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
