

# New technique puts DNA profiling of E. coli on fast track

March 10 2008

---

Using new genetic techniques, scientists are unlocking the secrets of how E coli bacteria contaminate food and make people sick.

Michigan State University has developed a new technique to test the DNA of E. coli bacteria by examining very small genetic changes called single nucleotide polymorphisms or SNPs (pronounced snips). Using SNPs, scientists analyzed 96 markers, making genetic analysis of pathogenic bacteria possible at a rate never before accomplished.

“It used to take three months to score one gene individually,” said Thomas Whittam, Hannah Distinguished Professor at the National Food Safety and Toxicology Center at MSU. “Now, we are working on a new, more rapid system that can do thousands of genes per day.”

In a new study released in the Monday edition of the *Proceedings of the National Academy of Sciences*, “Variation in Virulence Among Clades of Escherichia coli O157:H7 Associated With Disease Outbreaks,” Whittam and his co-authors looked at the DNA of more than 500 strains of a particularly dangerous member of the E. coli family, O157:H7. In collaboration with David Alland of the University of Medicine and Dentistry of New Jersey, Whittam discovered that individual bacteria could be separated into nine major groups, called clades.

E coli makes people sick because they produce toxins, called Shiga toxins. These toxins block protein synthesis, an essential cellular function, particularly in the kidneys. What Whittam found was that the

different clades produced different kinds of Shiga toxins in varying amounts based on their DNA.

“For the first time, we know why some outbreaks cause serious infections and diseases and others don’t,” Whittam said. “The different *E. coli* groups produce different toxins.”

Rapid genetic characterization also opens up a new world of possibilities for identifying the bacterial culprits in outbreaks and finding out where they originated.

*E. coli* usually come from animal waste contaminating human sources of food or water. Finding out how the bacteria entered the food source always has been a challenge, but now food safety experts can use DNA just like police use DNA at crime scenes. Scientists will be able to identify those bacteria making people sick, find out where they entered the food source and then use this information to reduce contamination.

“This is the first time anyone has been able to classify very closely related groups,” Whittam said.

“This is also the first time we can tell the differences in how they cause disease.”

Whittam also has plans to use this methodology to study other bacterial strains, like *Shigella*, a major cause of diarrhea around the world. “This new equipment can be used to identify hundreds of thousands of pathogenic bacteria,” Whittam said.

Source: Michigan State University

Citation: New technique puts DNA profiling of E. coli on fast track (2008, March 10) retrieved 2 May 2024 from <https://phys.org/news/2008-03-technique-dna-profiling-coli-fast.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.