


# Scientists discover stinging truths about jellyfish blooms in the Bering Sea

May 29 2008



Jellyfish populations peaked in 2000. They have since moderated at levels that still exceed those of the 1980s. In addition, jellyfish ranges have expanded. Credit: Zina Deretsky, National Science Foundation, after Brodeur et al

A new study helps explain a cyclic increase and decrease of jellyfish populations, which transformed parts of the Bering Sea--one of the U.S.'s most productive fisheries--into veritable jellytories during the 1990s.

The study shows that the availability of food for jellyfish may cap the potential size of the Bering Sea's jellyfish population, even while other factors, such as rising temperatures, may encourage its continued growth.

These results indicate that "anticipated temperature increases in the Bering Sea will not necessarily further increase its jellyfish populations," says Lorenzo Ciannelli of Oregon State University, a co-author of the study. By contrast, in warmer latitudes, jellyfish frequently multiple as temperatures rise.

The study provides potentially good news for the Bering Sea's fishing industry, which has been damaged by jellyfish blooms. Nicknamed "America's fish basket," the Bering Sea produces more than half of the U.S.'s entire catch of fish and shellfish.

Described in the May 29, 2008 online issue of Progress in Oceanography and summarized online in Nature, the study was partially funded by the National Science Foundation (NSF).

## **The Rise and Fall of Jellyfish**

During the 1990s, the Bering Sea's jellyfish reproduced with such wild abandon that by about 2000, they were about 40 times more abundant than they had been in 1982, according to analyses of collections from fishing trawls made in the Bering Sea by the Alaska Fisheries Science Center. In addition, starting in 1991, Bering Sea jellyfish expanded their ranges by fanning out north and west of the Alaskan Peninsula.

Because of these changes, one area north of the Alaskan Peninsula--always famous for its jellyfish--became so jellified that fishermen nicknamed it "Slime Bank" and began avoiding it altogether for fear of filling their nets with jellyfish. Other fisheries were damaged as well.

The Bering Sea's jellyfish population peaked in 2000, and then eventually stabilized at moderate levels between those of the bloom years of the 1990s and the less populated years of the 1980s. The post-2000

population decreases occurred while water temperatures dramatically increased--even though increasing temperatures have been associated with increasing jellyfish numbers in lab studies and in other waters, such as Narragansett Bay.

What is causing this apparent incongruity in the Bering Sea? "We think that once the Bering Sea's jellyfish population outsized the available food supply, the jellyfish population probably shrunk," says Ciannelli.

## **A Squishy Scourge**

The most common jellyfish in the Bering Sea is the sea nettle, which has tentacles up to six meters long. Sea nettles and other jellyfish damage the fishing industry by: 1) gumming up fishing nets, 2) stinging captured young fish, which spoils their commercial value, and 3) consuming young fish, which may reduce the sizes of commercial catches.

## **Do More Blooms Loom?**

"There are still too many mysteries about Bering Sea jellyfish to predict their next moves," says Ciannelli. These mysteries include whether food for jellyfish is being increased by the fishing industry's removal of jellyfish competitors that eat the same food that jellyfish eat.

In addition, "the Bering Sea's current jellyfish population is still much bigger and ranges further than it did during the 1980s," observes Ciannelli. "This finding suggests that water temperatures influence jellyfish populations. But we don't know how and how much."

## **Desparately Seeking Polyps**

Scientists suspect that increasing water temperatures may influence jellyfish population in various ways. For example, they may:

-- Impact the food supplies of jellyfish.

-- Prolong an early developmental stage for jellyfish during which they live as tiny, bottom-dwelling polyps before developing into swarming adults. If this occurs, there may be time lags between ongoing increases in water temperatures and resulting appearances of adult jellyfish swarms.

-- Cause polyp habitats to move. Such movements may be reflected in the recent expansion of jellyfish habitats.

"No one has ever seen jellyfish polyps in the Bering Sea," says Ciannelli. "So we don't know how temperature changes impact them." That is why Ciannelli is currently using new computer models to help track down probable polyp locations. "We must find those polyps," Ciannelli affirms.

## **The Long Tentacles of Environmental Change**

Scientists generally agree that human-caused stresses, including global warming and overfishing, are encouraging jellyfish surpluses in many tourist destinations and productive fisheries. These jellyfish-rich locations include Australia, the Gulf of Mexico, Hawaii, the Black Sea, Namibia, the United Kingdom, the Mediterranean, the Sea of Japan and the Yangtze Estuary.

## **Study Implications**

"This study--which represents a multi-disciplinary effort between experts in marine ecology, statistics and the mathematical geosciences--does more than just answer important questions about jellyfish ecology," says NSF Program Director Grace Yang. "It also provides a model for estimating populations based on incomplete data."

Such models may be applied to other marine and land-based ecological studies and to studies of the spread of infectious diseases, says Yang.

Source: National Science Foundation

Citation: Scientists discover stinging truths about jellyfish blooms in the Bering Sea (2008, May 29) retrieved 23 September 2023 from <https://phys.org/news/2008-05-scientists-truths-jellyfish-blooms-bering.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.