


Self-repairing aircraft could revolutionize aviation safety

May 19 2008



No hollow achievement: hollow glass fibres embedded in carbon fibre reinforced plastic could be the key to safer flying. Photo by EPSRC

A new technique that mimics healing processes found in nature could enable damaged aircraft to mend themselves automatically, even during a flight.

As well as the obvious safety benefits, this breakthrough could make it possible to design lighter aeroplanes in future. This would lead to fuel savings, cutting costs for airlines and passengers and reducing carbon emissions too.

The technique works like this. If a tiny hole/crack appears in the aircraft (e.g. due to wear and tear, fatigue, a stone striking the plane etc), epoxy resin would 'bleed' from embedded vessels near the hole/crack and quickly seal it up, restoring structural integrity. By mixing dye into the

resin, any ‘self-mends’ could be made to show as coloured patches that could easily be pinpointed during subsequent ground inspections, and a full repair carried out if necessary.

This simple but ingenious technique, similar to the bruising and bleeding/healing processes we see after we cut ourselves, has been developed by aerospace engineers at Bristol University, with funding from the Engineering and Physical Sciences Research Council (EPSRC). It has potential to be applied wherever fibre-reinforced polymer (FRP) composites are used. These lightweight, high-performance materials are proving increasingly popular not only in aircraft but also in car, wind turbine and even spacecraft manufacture. The new self-repair system could therefore have an impact in all these fields.

The technique’s innovative aspect involves filling the hollow glass fibres contained in FRP composites with resin and hardener. If the fibres break, the resin and hardener ooze out, enabling the composite to recover up to 80-90% of its original strength – comfortably allowing a plane to function at its normal operational load.

“This approach can deal with small-scale damage that’s not obvious to the naked eye but which might lead to serious failures in structural integrity if it escapes attention,” says Dr Ian Bond, who has led the project. “It’s intended to complement rather than replace conventional inspection and maintenance routines, which can readily pick up larger-scale damage, caused by a bird strike, for example.”

By further improving the already excellent safety characteristics of FRP composites, the self-healing system could encourage even more rapid uptake of these materials in the aerospace sector. A key benefit would be that aircraft designs including more FRP composites would be significantly lighter than the primarily aluminium-based models currently in service. Even a small reduction in weight equates to

substantial fuel savings over an aircraft's lifetime.

“This project represents just the first step”, says Ian Bond. “We’re also developing systems where the healing agent isn’t contained in individual glass fibres but actually moves around as part of a fully integrated vascular network, just like the circulatory systems found in animals and plants. Such a system could have its healing agent refilled or replaced and could repeatedly heal a structure throughout its lifetime.

Furthermore, it offers potential for developing other biological-type functions in man-made structures, such as controlling temperature or distributing energy sources.”

The new self-repair technique developed by the current EPSRC-funded project could be available for commercial use within around four years.

Source: Engineering and Physical Sciences Research Council

Citation: Self-repairing aircraft could revolutionize aviation safety (2008, May 19) retrieved 20 April 2024 from

<https://phys.org/news/2008-05-self-repairing-aircraft-revolutionize-aviation-safety.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--