

# Phoenix Mars Lander Continues Tests With Rasp

July 18 2008

---



This image taken by the Surface Stereo Imager on Sol 49, or the 49th Martian day of the mission (July 14, 2008), shows the silver colored rasp protruding from NASA's Phoenix Mars Lander's Robotic Arm scoop. The scoop is inverted and the rasp is pointing up. Shown with its forks pointing toward the ground is the thermal and electrical conductivity probe, at the lower right. The Robotic Arm Camera is pointed toward the ground. (NASA/JPL-Caltech/University of Arizona/Texas A&M University)

(PhysOrg.com) -- The team operating NASA's Phoenix Mars Lander plans to tell the lander today to do a second, larger test of using a motorized rasp to produce and gather shavings of frozen ground.

The planned test is a preparation for putting a similar sample into one of Phoenix's laboratory ovens in coming days. The instrument with the oven, the Thermal and Evolved- Gas Analyzer (TEGA), will be used to check whether the hard layer exposed in a shallow trench is indeed rich in water ice, as scientists expect, and to identify some other ingredients in the frozen soil.

The rasp flings some of the shavings that it produces directly into an opening on the back of the scoop at the end of the lander's robotic arm. The test planned for today differs in several ways from the first test of the rasp on Mars, on July 15.

"First, we will scrape the terrain before rasping, to expose fresh terrain for sampling," said Richard Volpe of NASA's Jet Propulsion Laboratory, Pasadena, Calif., an engineer for the Phoenix robotic arm team.

"Second, we will rasp four times in a row, twice the amount previously. Third, the scoop blade will be run across the rasp holes to pick up as much of the tailings as possible."

The test area is in the bottom of a trench about 5 centimeters (2 inches) deep, informally named "Snow White," which is also the planned site for acquiring an icy sample for the TEGA instrument. The team wants to be sure to be able to collect and deliver the sample quickly, and early in the Martian morning, in order to minimize the amount of ice lost to vaporization before the material is sealed into the oven. Today's plans include using the Robotic Arm Camera to check repeatedly for any changes in the collected sample during seven hours after getting it into the scoop.

Provided by NASA

Citation: Phoenix Mars Lander Continues Tests With Rasp (2008, July 18) retrieved 1 May 2024 from <https://phys.org/news/2008-07-phoenix-mars-lander-rasp.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.