

## **Researchers Discover Tiny Cellular Antennae Trigger Neural Stem Cells**

August 12 2008



Tiny thread like cilia on brain cells act as sort of an antennae that directs signals telling stem cells to create new neurons.

(PhysOrg.com) -- Yale University scientists today reported evidence suggesting that the tiny cilia found on brain cells of mammals, thought to be vestiges of a primeval past, actually play a critical role in relaying molecular signals that spur creation of neurons in an area of the brain involved in mood, learning and memory. The findings are published online in the journal *Proceedings of the National Academy of Science*.

The cilia found on brain cells of mammals until recently had been viewed as a mysterious remnant of a distant evolutionary past, when the tiny hair-like structures were used by single-celled organisms to navigate a primordial world.



"Many neuroscientists are shocked to learn that cells in the brain have cilia. Thus it was even more exciting to show that cilia have a key function in regulating the birth of new neurons in the brain," said Matthew Sarkisian, post doctoral fellow in the department of neurobiology and co-first author on the study.

In the past decade, scientists have discovered primary cilia may have important functions in many animals. For instance, in 2000, Yale University scientists discovered defects in these cilia could lead to rare type of kidney disease. Researchers have been finding new functions for primary cilia ever since.

In the present study, researchers discovered that in mice, primary cilia act like antennae to receive and coordinate signals that spur creation of new brain cells. These cilia receive signals from a key protein required in development called "sonic hedgehog." When the Yale team deleted genes needed to form primary cilia, they discovered that mice developed significant brain abnormalities including hydrocephalus. They also found that the absence of primary cilia on neural stem cells disrupted the ability of sonic hedgehog to signal neural stem cells to initiate creation of new neurons in the brain.

Furthermore, this group also observed cilia on dividing brain tumor cells. Postdoctoral fellow and co-first author Joshua Breunig said, "Considering sonic hedgehog is also heavily implicated in brain tumor formation, our study places the primary cilium at the crossroads of both regenerative neurobiology and neuro-oncology."

Authors include: Jon Arellano, Yury Morozov, Albert Ayoub, Sonal Sojitra, Baolin Wang, Richard Flavell, Pasko Rakic (corresponding author) and Terrence Town

The study was funded by the National Institutes of Health and the Kavli



Institute.

## Citation: PNAS, online publication, Aug. 11

Provided by Yale University

Citation: Researchers Discover Tiny Cellular Antennae Trigger Neural Stem Cells (2008, August 12) retrieved 3 May 2024 from <u>https://phys.org/news/2008-08-tiny-cellular-antennae-trigger-neural.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.