

# First detection of magnetic field in distant galaxy produces a surprise

October 1 2008

---



The Robert C. Byrd Green Bank Telescope in West Virginia, the world's largest fully steerable radio telescope antenna. Its great sensitivity made possible the magnetic-field measurement in the distant protogalaxy. Credit: NRAO/AUI/NSF

Using a powerful radio telescope to peer into the early universe, a team of California astronomers has obtained the first direct measurement of a nascent galaxy's magnetic field as it appeared 6.5 billion years ago.

Astronomers believe the magnetic fields within our own Milky Way and other nearby galaxies—which control the rate of star formation and the

dynamics of interstellar gas--arose from a slow "dynamo effect." In this process, slowly rotating galaxies are thought to have generated magnetic fields that grew very gradually as they evolved over 5 billion to 10 billion years to their current levels.

But in the October 2 issue of *Nature*, the astronomers report that the magnetic field they measured in this distant "protogalaxy" is at least 10 times greater than the average value in the Milky Way.

"This was a complete surprise," said Arthur Wolfe, a professor of physics at UC San Diego's Center for Astrophysics and Space Sciences who headed the team. "The magnetic field we measured is at least an order of magnitude larger than the average value of the magnetic field detected in our own galaxy."

The astronomers from the University of California campuses at Berkeley, San Diego and Santa Cruz used the world's largest fully steerable radio telescope for their measurements—the Robert C. Byrd Green Bank Telescope in Green Bank, West Virginia operated by the National Science Foundation's National Radio Astronomy Observatory. The young protogalaxy they probed, DLA-3C286, is located in a region of the northern sky that is directly overhead during the spring.

Until recently, astronomers knew very little about magnetic fields outside our own galaxy, having directly measured the magnetic field in only one nearby galaxy. "And that field wasn't as strong as the field we saw," said Wolfe.

But a team of Swiss and American astronomers reported in the July 17 issue of *Nature* that an indirect measurement of the magnetic fields of 20 distant galaxies, using the bright light from quasars, suggests that the magnetic fields of young galaxies were as strong when the universe was only a third of its current age as they are in the mature galaxies today.

Wolfe said those indirect measurements and his team's latest direct measurement of a distant galaxy's magnetic field "do not necessarily cast doubt on the leading theory of magnetic field generation, the mean-field-dynamo model, which predicts that the magnetic field strengths should be much weaker in galaxies in the cosmological past."

"Our results present a challenge to the dynamo model, but they do not rule it out," he added. "Rather the strong field that we detect is in gas with little if no star formation, and an interesting implication is that the presence of the magnetic fields is an important reason why star formation is very weak in these types of protogalaxies."

Wolfe said his team has two other plausible explanations for what they observed. "We speculate that either we are seeing a field toward the central regions of a massive galaxy, since magnetic fields are known to be larger towards the centers of nearby galaxies. It is also possible that the field we detect has been amplified by a shock wave generated by the collision between two galaxies."

"In either case," he added, "our detection indicates that magnetic fields may be important factors in the evolution of galaxies, and in particular may be responsible for the low star formation rates detected throughout the gaseous progenitors of young galaxies in the early universe."

"The challenge now," said J. Xavier Prochaska, another member of the team who is a professor of astronomy at UC Santa Cruz, "is to perform observations like these on galaxies throughout the universe."

Source: University of California - San Diego

retrieved 30 April 2024 from <https://phys.org/news/2008-10-magnetic-field-distant-galaxy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.