

# Space tech helps to find natural resources

October 20 2008

---



Commodities-oil-energy-price-US-boom-crime, Oilfield thefts on rise in Texas amid booming prices by Mira Oberman. This June 24, 2008 photo shows oil drilling rigs in Midland County, Texas. The wide open oilfields of West Texas are ripe pickings for thieves these days. Some drive up to one of the thousands of pump jacks that dot the countryside and siphon crude out of the storage tanks. Some pull up to a drill site after the crews have gone for the night and haul away tools, pipes and equipment. Others take kickbacks, file false invoices or just plain steal knowing their bosses are too busy riding the oil boom to keep a close eye on accounting. Credits: AFP

Using space-based technology developed during ESA's gravity mission studies, a novel gradiometer is being developed by a UK-based company to help oil and gas companies find the most appropriate locations to drill wells and plan further exploration.

The gravity gradiometer measures the variations in the Earth's gravity, or

in technical terms, the ‘differential acceleration’. These variations help to measure the density of the subsurface, therefore providing information on the Earth’s geology. From data acquired through the gradiometer, an image of the subsurface geology can be derived. This image provides information which can help oil and gas companies looking to drill wells or plan further exploration.

The technology behind the gravity gradiometer was originally developed as one of two potential candidates to measure gravity on ESA’s Gravity-field and steady state Ocean Circulation Explorer (GOCE) mission, planned to be launched this year.

Funded under ESA contract, the basic technology development for the superconductive gravity gradiometer was initiated in 1993, with the scope to develop a European spaceborne superconducting gravity gradiometer. Eventually ESA selected the other candidate, an Electrostatic Gravity Gradiometer, for its GOCE mission, as the superconducting technology was judged not to be ready for spaceborne implementation. Nevertheless for airborne terrestrial implementation it had potential.

## **Using a space-derived instrument to detect Earth’s mineral resources**

The space-derived superconducting gravity gradiometer technology was further developed by British geophysical imaging company ARKeX for use in the oil and gas industry. This technology transfer was supported from the beginning by Nathan Hill, Qi3 Managing Director. Qi3 is Technology Broker in ESA’s Technology Transfer Programme network of technology brokers throughout Europe.

The ARKeX gravity gradiometer offers other major advantages for the

oil and gas industry. Seismic surveys are presently the prevalent method used to find new gas or oil deposits and often use dynamite to produce sound waves. In contrast, gravity gradiometry is a non-invasive technology which can be used in environmentally sensitive areas without causing immediate disruption.

The instrument is mounted on a light aircraft and a survey grid is flown over an area to record the different signals from the ground below. As a large area can be covered quickly from the air, the cost of performing a survey is 10 times cheaper than performing a traditional seismic survey.

## **Business success from an ESA technology spin-off**

In June of this year, ARKeX announced that it had successfully raised 30 million dollars (over 22 million Euros) in venture funding. The company announced that part of this money would be used to accelerate production of its Exploration Gravity Gradiometer.

Evolved from space-developed technology and re-engineered for terrestrial applications, ARKeX's Exploration Gravity Gradiometer is designed to achieve a sensitivity which is an order of magnitude more sensitive than current systems.

This extra sensitivity is achieved through the use of super conductivity. The gradiometer is cooled to  $-269^{\circ}\text{C}$  with liquid helium to take advantage of super conductivity properties, namely zero electrical resistance and the exclusion of the interior magnetic field. This enables accurate measurement of very tiny signals and therefore produces a higher-resolution image.

The gradiometer will enable the survey of a wider range of surfaces in greater detail, and the extra sensitivity will enable the detection of smaller density contrasts.

Following successful early trials, ARKeX has an aircraft under contract and is starting trials of the full system. Once operational, the Exploration Gravity Gradiometer will be of tremendous benefit to the oil and gas industries. Other potential applications include the defence sector, environmental surveying, and, eventually, back to the space programme.

Provided by ESA

Citation: Space tech helps to find natural resources (2008, October 20) retrieved 9 April 2024 from <https://phys.org/news/2008-10-space-tech-natural-resources.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--