

NASA Radar Provides First Look Inside Moon's Shadowed Craters

January 16 2009



This image is a Mini-RF synthetic aperture radar (SAR) strip overlain on an Earth-based, Arecibo Observatory radar telescope image. Taken Nov. 17, 2008, the south-polar SAR strip shows a part of the moon never seen before: a portion of Haworth crater that is permanently shadowed from Earth and the sun. The only way to explore these regions is by using an orbital radar such as Mini-RF. Credit: ISRO/NASA/JHUAPL/LPI/Cornell University/Smithsonian

(PhysOrg.com) -- Using a NASA radar flying aboard India's Chandrayaan-1 spacecraft, scientists are getting their first look inside the moon's coldest, darkest craters.

The Mini-SAR instrument, a lightweight, synthetic aperture radar, has



passed its initial in-flight tests and sent back its first data. The images show the floors of permanently-shadowed polar craters on the moon that aren't visible from Earth. Scientists are using the instrument to map and search the insides of the craters for water ice.

"The only way to explore such areas is to use an orbital imaging radar such as Mini-SAR," said Benjamin Bussey, deputy principal investigator for Mini-SAR, from the Johns Hopkins University Applied Physics Laboratory in Laurel, Md. "This is an exciting first step for the team which has worked diligently for more than three years to get to this point."

The images, taken on Nov. 17, 2008, cover part of the Haworth crater at the moon's south pole and the western rim of Seares crater, an impact feature near the north pole. Bright areas in each image represent either surface roughness or slopes pointing toward the spacecraft. Further data collection by Mini-SAR and analysis will help scientists to determine if buried ice deposits exist in the permanently shadowed craters near the moon's poles.

"During the next few months we expect to have a fully calibrated and operational instrument collecting valuable science data at the moon," said Jason Crusan, program executive for the Mini-RF Program for NASA's Space Operations Mission Directorate in Washington.

Mini-SAR is one of 11 instruments on the Indian Space Research Organization's Chandrayaan-1 and one of two NASA-sponsored contributions to its international payload. The other is the Moon Mineralogy Mapper, a state-of-the-art imaging spectrometer that will provide the first map of the entire lunar surface at high spatial and spectral resolution. Data from the two NASA instruments will contribute to the agency's increased understanding of the lunar environment as it implements America's space exploration plan, which calls for robotic



and human missions to the moon.

Chandrayaan-1 launched from India's Satish Dhawan Space Center on Oct. 21 and began orbiting the moon Nov. 8. The Applied Physics Laboratory performed the final integration and testing on Mini-SAR. It was developed and built by the Naval Air Warfare Center and several other commercial and government contributors. The Applied Physics Laboratory's Satellite Communications Facility is Chandrayaan-1's primary ground station in the Western Hemisphere.

These first images and other information about NASA's Mini-SAR, also known as Mini-RF, can be found at: <u>www.nasa.gov/mini-rf</u>

For more information about the Moon Mineralogy Mapper, visit: <u>m3.jpl.nasa.gov</u>

For more information about Chandrayaan-1, visit: <u>www.isro.org/Chandrayaan</u>

Provided by NASA

Citation: NASA Radar Provides First Look Inside Moon's Shadowed Craters (2009, January 16) retrieved 8 May 2024 from <u>https://phys.org/news/2009-01-nasa-radar-moon-shadowed-craters.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.