


Deep-sea rocks point to early oxygen on Earth

March 24 2009



Pictured is a micrograph of siderite crystals with the red showing hematite inside. The dark blue is magnetite and pyrite. Credit: Hiroshi Ohmoto/Yumiko Watanabe

Red jasper cored from layers 3.46 billion years old suggests that not only did the oceans contain abundant oxygen then, but that the atmosphere was as oxygen rich as it is today, according to geologists.

This jasper or hematite-rich chert formed in ways similar to the way this rock forms around hydrothermal vents in the [deep oceans](#) today.

"Many people have assumed that the [hematite](#) in ancient rocks formed by the oxidation of siderite in the modern [atmosphere](#)," said Hiroshi Ohmoto, professor of [geochemistry](#), Penn State. "That is why we wanted

to drill deeper, below the water table and recover unweathered rocks."

The researchers drilled diagonally into the base of a hill in the Pilbara Craton in northwest Western Australia to obtain samples of jasper that could not have been exposed to the atmosphere or water. These jaspers could be dated to 3.46 billion years ago.

"Everyone agrees that this jasper is 3.46 billion years old," said Ohmoto. "If hematite were formed by the oxidation of siderite at any time, the hematite would be found on the outside of the siderite, but it is found inside," he reported in a recent issue of *Nature Geoscience*.

The next step was to determine if the hematite formed near the water's surface or in the depths. Iron compounds exposed to ultra violet light can form ferric hydroxide, which can sink to the bottom as [tiny particles](#) and then converted to hematite at temperatures of at least 140 degrees Fahrenheit.



This is the location of the core drilling in the Pilbara Craton, West Australia.
Credit: Hiroshi Ohmoto/Yumiko Watanabe

"There are a number of cases around the world where hematite is formed in this way," says Ohmoto. "So just because there is hematite, there is not necessarily [oxygen](#) in the water or the atmosphere."

The key to determining if ultra violet light or oxygen formed the hematite is the [crystalline structure](#) of the hematite itself. If the precursors of hematite were formed at the surface, the crystalline structure of the rock would have formed from small particles aggregating producing large crystals with lots of empty spaces between. Using transmission electron microscopy, the researchers did not find that crystalline structure.

"We found that the hematite from this core was made of a single crystal and therefore was not hematite made by ultra violet radiation," said Ohmoto.

This could only happen if the deep ocean contained oxygen and the iron rich fluids came into contact at high temperatures. Ohmoto and his team believe that this specific layer of hematite formed when a plume of heated water, like those found today at hydrothermal vents, converted the iron compounds into hematite using oxygen dissolved in the deep ocean water.



This is a banded rock formation in Pilbara Craton, West Australia. Credit: Hiroshi Ohmoto/Yumiko Watanabe

"This explains why this hematite is only found in areas with active submarine volcanism," said Ohmoto. "It also means that there was oxygen in the atmosphere 3.46 billion years ago, because the only mechanism for oxygen to exist in the deep oceans is for there to be oxygen in the atmosphere."

In fact, the researchers suggest that to have sufficient oxygen at depth, there had to be as much oxygen in the atmosphere 3.46 billion years ago as there is in today's atmosphere. To have this amount of oxygen, the Earth must have had oxygen producing organisms like cyanobacteria actively producing it, placing these organisms much earlier in Earth's history than previously thought.

"Usually, we look at the remnant of what we think is biological activity to understand the Earth's biology," said Ohmoto. "Our approach is unique because we look at the mineral ferric oxide to decipher biological activity."

Ohmoto suggests that this approach eliminates the problems trying to decide if carbon residues found in sediments were biologically created or simply chemical artifacts.

Source: Pennsylvania State University ([news](#) : [web](#))

Citation: Deep-sea rocks point to early oxygen on Earth (2009, March 24) retrieved 28 April 2024 from <https://phys.org/news/2009-03-deep-sea-early-oxygen-earth.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.