


Dracula minnow has teeth, almost

March 11 2009



Images of the head of carp-like fish, *Danionella dracula*. Unlike the 3700 species in its group, the males have tooth-like structures, shown in the scanning electron micrographs on the right-hand side and in image of the stained fish at top left. Bottom left is female. Image: Natural History Museum

A new species of tiny fish with jaw structures that look like huge teeth has been identified, Natural History Museum scientists report in the *Proceedings of the Royal Society* journal today.

Named *Danionella* [dracula](#), this new minnow is part of the group called Cypriniformes (carp-like fishes), one of the largest orders of fishes and a close relative of the [zebrafish](#). It has evolved many unique and unusual characteristics. Its most obvious, and surprising, are its huge ‘[teeth](#)’.

None of the 3700 [species](#) in the Cypriniform group has any teeth in their jaws. In fact, they lost their jaw teeth about 50 million years ago in the

Upper Eocene period. *Danionella dracula*, however, evolved its own tooth-like structures.

‘This [fish](#) is one of the most extraordinary vertebrates discovered in the last few decades,’ says Dr Ralf Britz, Museum fish expert (ichthyologist).

‘The males have something that, on first inspection, looks like a series of large impressive teeth. We therefore named the species *Danionella dracula*.’

This unusual species is 17mm long with a transparent body. Dr Britz discovered it during one of his collecting trips. It lives in a stream in northern Myanmar.

Not normal teeth

The ‘teeth’ of *D. dracula* aren’t the same as normal teeth.

Britz explains, ‘The males have spectacular jaw modifications that resemble true teeth and protrude through the skin. They represent, however, processes grown from the [jaw bones](#) rather than re-evolved jaw teeth.’

More surprises

The adult *D. dracula* has a larval-like skeleton and over 40 bones missing compared to the zebrafish.

It is also sexually dimorphic, meaning the males differ from the females.

‘In addition to the tooth-like processes which are almost absent in

females,’ Dr Britz explains, ‘males have much larger pelvic fins and their anus and genital opening are shifted forward between these fins.’

Studying the specimens

Dr Britz worked with Museum colleague, Dr Lukas Rüber, and Kevin Conway from Saint Louis University, USA, to study *D. dracula* and make this remarkable fish scientifically known.

Staining the skeleton

To study the anatomy, Dr Britz cleared and stained the fish specimens. The tissue was digested with an enzyme and bone and cartilage were stained red and blue, respectively. This resulted in nicely coloured, completely transparent specimens.

DNA study

The team also performed a DNA study to determine how much time *D. dracula* had to evolve its unusual tooth-like structures and concluded that it had 30 million years to gain its spectacular jaws.

Miniature species

The *D. dracula* species is miniature. Miniaturisation is an evolutionary process that leads to dwarfed sexually mature organisms.

A famous miniature fish is the *Paedocypris progenetica* species, which was announced as the world’s smallest vertebrate in January 2006.

There is more than one way to become miniature and the team discovered how this happened in *D. dracula*. It was due to a process

called developmental truncation.

Developmental truncation

Developmental truncation is an evolutionary process by which the last stages of the development of an ancestor have been cut off in the descendant.

In the case of *D. dracula* this means that its anatomy resembles that of a 7mm larva of the zebrafish, but, unlike the larva, it is sexually mature.

Over time, these changes in developmental events can have a major effect and lead to the evolution of new body characteristics and new species.

Developmental truncation thus results in an adult that with the exception of its mature gonads looks like an early developmental stage or larval form.

Dr Britz concludes, ‘*Danionella dracula* represents a remarkable example of the evolution of morphological novelties through changes in developmental timing.’

As well as revealing more about how diversity evolves this research may help us to understand how lost structures re-evolve.

More information: www.nhm.ac.uk

Source: The Natural History Museum

Citation: Dracula minnow has teeth, almost (2009, March 11) retrieved 2 May 2024 from <https://phys.org/news/2009-03-dracula-minnow-teeth.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.