

GOCE satellite: Critical operations ongoing

March 19 2009



GOCE Flight Control Team in Main Control Room round-the-clock during the critical LEOP phase. Credits: ESA

(PhysOrg.com) -- After liftoff 17 March, ESA's GOCE spacecraft is performing very well, having achieved an extremely accurate injection altitude of 283.5 km, just 1.5 km lower than planned. The Mission Control Team is now working round-the-clock shifts to implement a series of critical check-out procedures.

The Mission Control Team at ESOC, ESA's Space Operations Centre in Darmstadt, Germany, are now conducting the complex and critical 'Launch and Early Operations Phase' (LEOP) for GOCE, which was successfully launched into a polar orbit at 15:21:13 CET yesterday on a Rockot launcher.

Following yesterday's liftoff, separation of GOCE from the launcher and



first acquisition of signals from the <u>spacecraft</u> were confirmed by <u>Flight</u> Operations Director Pier Paolo Emanuelli during a long day working with the Mission Control Team in the Main Control Room from two hours before until 10 hours after launch.

"Our first status report was issued yesterday evening five hours after launch, reporting that everything was nominal with the spacecraft," said Emanuelli.

The night shift came on console at 23:00 CET, under Deputy Flight Operations Director Paolo Ferri.

"Overnight, we had a few minor problems, but nothing out of the ordinary. Overall, everything is going well and we are very happy with the booster performance and the spacecraft," said Ferri, speaking this morning in the Main Control Room at ESOC.

LEOP: Three intense days to ensure GOCE stability

During the three-day LEOP, on-board flight control systems will be thoroughly checked-out and the spacecraft brought step-wise through several modes of operation to achieve a stable, fully functioning status.

Communications with the <u>Gravity field</u> and steady-state Ocean Circulation Explorer (GOCE) spacecraft during LEOP are being enhanced by a network of four ground tracking stations, which are providing additional communications capacity.

The spacecraft is currently in Coarse Pointing Mode, the most basic level of functioning, which was entered immediately after separation from the launcher.

Today's work includes preparing the spacecraft to switch to Extended



Coarse Pointing Mode (ECPM), which enables a higher level of autonomous flight control; this is scheduled for 20:00 CET this evening.

ECPM also includes orienting the satellite so as to minimise the cross-section exposed to the atmosphere, thus limiting altitude decay. As planned, GOCE is orbiting in free flight and the electric-ion propulsion has not yet been switched on.

Another crucial LEOP step is calibrating the on-board magnetometers, which enable full attitude control to be established; this was done overnight.

Later today, the team will issue commands to switch on the Satellite-to-Satellite Tracking Instrument - a state-of-the-art GPS (Global Positioning Satellite) receiver on board GOCE that has been specially adapted to operate in a low-Earth orbit environment. As well as supporting scientific data analysis, the SSTI will also provide real-time navigation data to the on-board orbit control system.

ESOC Flight Dynamics: Running the numbers

ESOC's Flight Dynamics team is also providing round-the-clock support, and will today perform a series of calculations to enable the spacecraft to be switched into Fine Pointing Mode.

FPM is a higher level of functioning that can be maintained indefinitely while the on-board scientific instruments are commissioned. This is planned for 18:00 CET, 19 March.

Provided by European Space Agency (<u>news</u>: <u>web</u>)



Citation: GOCE satellite: Critical operations ongoing (2009, March 19) retrieved 1 May 2024 from https://phys.org/news/2009-03-goce-satellite-critical-ongoing.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.