

Lake Tahoe Clarity Continues to Hold Steady in 2008

March 19 2009

(PhysOrg.com) -- The waters of Lake Tahoe were clear to an average depth of 69.6 feet in 2008, according to UC Davis scientists who have monitored the lake since 1968. That keeps the clarity measurement in the range where it has been for about the past eight years.

When measurements began in 1968, a white "Secchi disk" lowered into the lake was visible at an average depth of 102.4 feet.

Last year UC Davis reported that data since 2001 suggested lake clarity was not declining as fast as it had been. That encouraging finding is supported by the 2008 average, which is nearly identical to the 2007 average of 70.1 feet.

Individual clarity measurements in 2008 ranged from a maximum depth of 122.2 feet on April 24 to a minimum of only 36.9 feet on Aug. 5. In fact, the lake was much less clear than normal during the entire period from mid-July to mid-August, possibly because of smoke from California wildfires, said John Reuter, associate director of the UC Davis Tahoe Environmental Research Center.

For example, the typical Secchi depth in that summer period from 2003-2007 was 50 feet to 65 feet. But in 2008, the depth was 36.9 feet to 46.8 feet.

The overall summer (June-September) clarity depth was also very shallow at 50.5 feet — the shallowest measured since monitoring began

in 1968.

Smoke from wildfires elsewhere in California drifted into the [Tahoe Basin](#) and hung around for weeks last summer. Prolonged fallout of ash particles could have both blocked [light penetration](#) into the water and fed the lake's [algae](#), which absorb sunlight and reduce [water clarity](#).

“What 2008 highlighted is the impact that wildfires and other factors outside our direct control can have on [Lake Tahoe](#). While progress is being made in both understanding and addressing the root causes of clarity decline, the path to achieving the desired clarity will not be a straight one,” said Tahoe Environmental Research Center director Geoff Schladow.

UC Davis and many other academic institutions and public agencies are working together with the private sector to restore and preserve the Tahoe Basin ecosystem. Led by the Tahoe Regional Planning Agency (TRPA), the collaborative Environmental Improvement Program is a public-private partnership rivaling the most ambitious of U.S. restoration initiatives in its scope.

“We are encouraged that the long-term trend showing clarity loss slowing has held,” said TRPA executive director Joanne Marchetta. “Despite the apparent impact seen from wildfires outside the basin last year, Lake Tahoe’s future appears hopeful.”

UC Davis researchers measure the lake's clarity with a Secchi disk every seven to 10 days at two fixed locations. The depth at which the white disk, the size of a dinner plate, disappears from sight is referred to as the Secchi depth.

Their long-term research strongly indicates that Lake Tahoe's long-term clarity loss is caused by fine particles and nutrients in the lake. The

particles and nutrients enter the lake through erosion, runoff and atmospheric deposition. Once in the lake, they affect clarity by scattering light and by fueling the growth of algae, which absorb light.

”With our Environmental Improvement Program and other initiatives, we feel we may have turned the corner in the effort to restore lake clarity to levels seen a generation ago,” said Marchetta. “With a continued commitment to the lake from all sectors, we will accomplish our goal of preserving and protecting Lake Tahoe.”

The annual average Secchi measurements for the past several years were:

2008: 69.6 feet (21.2 meters)
2007: 70.1 feet (21.4 meters)
2006: 67.7 feet (20.6 meters)
2005: 72.4 feet (22.1 meters)
2004: 73.6 feet (22.4 meters)
2003: 71 feet (21.6 meters)
2002: 78 feet (23.8 meters)
2001: 73.6 feet (22.4 meters)
2000: 67.3 feet (20.5 meters)

Provided by UC Davis

Citation: Lake Tahoe Clarity Continues to Hold Steady in 2008 (2009, March 19) retrieved 25 April 2024 from <https://phys.org/news/2009-03-lake-tahoe-clarity-steady.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.