

Animals that seem identical may be completely different species

April 22 2009



This is the *Lumbriculus variegatus* worm. Credit: Image: Biopix

Animals that seem identical may belong to completely different species. This is the conclusion of researchers at the University of Gothenburg, Sweden, who have used DNA analyses to discover that one of our most common segmented worms is actually two types of worm. The result is one of many suggesting that the variety of species on the earth could be considerably larger than we thought.

"We could be talking about a large number of species that have existed undiscovered because they resemble other known species," says Professor Christer Erséus.

The segmented [worms](#) that were studied by Christer Erséus, doctoral student Daniel Gustavsson and their American colleague, are identical in

appearance. From the very first time that they were described, they have been treated as the same species, and they are also found together in freshwater environments in North America, Sweden and the rest of Europe.

But when the researchers examined the worms using advanced methods for DNA analysis, they discovered that they were in fact two different species. Both species of worm differ in one of the examined genes by 17 percent, which is twice as much as the equivalent difference between humans and chimpanzees.

The research results, which are being published in the journal *Molecular Phylogenetics and Evolution*, could have major consequences. For example, the worms are frequently used for laboratory testing around the world, to examine the effects of environmental toxins.

"Different species have different characteristics. If it emerged that these two species differ in terms of their tolerance towards certain toxins, then it could be difficult to make comparisons between different studies," says Christer Erséus.

And as this advanced DNA technology is tested increasingly within various animal groups, it could, according to Christer Erséus, mean that our perception of the earth's biodiversity may need to be revised.

"There could be ten times as many species in total, compared with what we previously thought," he says.

The new [species](#) of worm has not yet been given a name, since researchers have not yet decided which of the two will keep the old name, *Lumbriculus variegatus*.

Source: University of Gothenburg ([news](#) : [web](#))

Citation: Animals that seem identical may be completely different species (2009, April 22)
retrieved 9 April 2024 from <https://phys.org/news/2009-04-animals-identical-species.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.