


# Studies offers new picture of Lake Tahoe's earthquake potential

April 29 2009

---



Scripps researchers deploy a CHIRP instrument to survey the faults below Lake Tahoe. Credit: Scripps Institution of Oceanography, UC San Diego

For more than a decade, scientists at Scripps Institution of Oceanography at UC San Diego have been unraveling the history of fault ruptures below the cobalt blue waters of Lake Tahoe one earthquake at a time. Two new studies by the Scripps research team offer a more comprehensive analysis of earthquake activity in the Lake Tahoe region, which suggest a magnitude-7 earthquake occurs every 2,000 to 3,000 years in the basin, and that the largest fault in the basin, West Tahoe, appears to have last ruptured between 4,100 and 4,500 years ago.

These studies, led by a team of Scripps researchers including Graham Kent, Neal Driscoll, Jeff Babcock and Alistair Harding, collected new

data on earthquake history along three active faults in the region. These new data suggest that the most recent ruptures along the West Tahoe and Incline Village faults each produced nearly 4-meter-high offsets. The most recent event along the Incline Village Fault occurred about 575 years ago.

"These studies taken together show that the West Tahoe Fault is capable of a magnitude-7 earthquake - similar to large earthquakes that have occurred on the nearby Genoa Fault - but with the added danger of nearly 500 m of overlying water, which is capable of spawning a large tsunami wave," said Kent, a research geophysicist at Scripps.



Snow scenics in Sierra Nevada near Donner Lake and Lake Tahoe. Credit: California Department of Water Resources

Jeff Dingler, lead author on a paper in the April online issue of *Geological Society of America Bulletin* (GSA Bulletin) and former Scripps Oceanography graduate student, used a high-resolution seismic imaging technique, known as CHIRP, to supply a comprehensive view of faulting beneath the lake. Scripps' Neal Driscoll developed the new digital CHIRP profiler for this study, which provided an unprecedented picture of deformation within the sedimentary layers that blanket the floor of Lake Tahoe, laying the groundwork for more detailed fault studies that continue today.

In a complementary paper, published in the April issue of the *Bulletin of the Seismological Society of America* (BSSA), Scripps graduate student Danny Brothers investigated the rupture history of the West Tahoe Fault in greater detail. Using comprehensive CHIRP and coring surveys of Fallen Leaf Lake, where the West Tahoe Fault crosses the southern end of the lake, the study confirmed the suspected fault length of over 50 km (31 miles). When combined with the rupture offset size observed across the fault from CHIRP imagery, the analysis suggests an upper limit of a magnitude-7.3 earthquake for the basin's most dangerous fault.

This new analysis, coupled with a slip-rate approaching 0.8 mm/year and the rupture timeline taking place between 4,100 and 4,500 years ago, places the West Tahoe Fault near the end of its characteristic earthquake cycle. Researchers caution that some degree of variability is to be expected. Such an earthquake could produce tsunami waves some three to 10 meters (10 to 33 feet) high, colleagues at the University of Nevada, Reno, have shown.

Lake Tahoe, which straddles the California and Nevada border in the Sierra Nevada region, is one of the world's deepest freshwater lakes. At more than 501 meters (1,645 feet) deep, the lake covers 191 square miles in a basin prone to earthquakes and catastrophic landslides. The West Tahoe Fault runs along the west shore of the lake and comes onshore at Baldwin Beach, then passes through the southern third of Fallen Leaf Lake, where it descends into Christmas Valley near Echo Summit.

Source: University of California - San Diego ([news](#) : [web](#))

Citation: Studies offers new picture of Lake Tahoe's earthquake potential (2009, April 29) retrieved 22 July 2024 from <https://phys.org/news/2009-04-picture-lake-tahoe-earthquake->

[potential.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.