

A new class of dim supernovae

June 5 2009



Colour image of supernova SN 2008ha taken on 2008 December 30 at Calar Alto Observatory, with the Zeiss 2.2m Telescope and camera CAFOS. It is a composite of the B, V and R bands. The SN is the faint reddish dot marked with an arrow. The quite irregular shape of the galaxy UGC 12682, that hosts the supernova, is seen at the centre of the image. Stefan Taubenberger, Max Planck Institut for Astrophysics.

The colossal stellar explosions called supernovae come in many kinds and flavours. Some of them are produced when a massive star reaches the end of its life in a sudden gravitational collapse. Astronomers have just found one of these explosions that defies the current classification scheme. The results of this research have been published in *Nature*, and Calar Alto has contributed to this discovery.



Core-collapse (or gravitational) <u>supernovae</u> are among the most energetic and violent events in the universe. They constitute the final tremendous explosions that end the life cycles of stars more massive than approximately 8 times the Sun. After running out of fuel, the core of such a star collapses and forms a neutron star or a black hole. At the same time, the outer layers are ejected at high velocity (up to 10% of the speed of light) and shine as brightly as billions of stars together. The total energy suddenly released by such a typical supernova exceeds the total energy release of the Sun during its whole past and future life time of 10 billion years.

However, some core-collapse supernovae are up to 100 times less energetic and luminous than usual. These low-power explosions normally show the presence of hydrogen gas, but a new event, supernova SN 2008ha, is the first dim supernova in which no hydrogen could be detected. This research has been performed by an international team lead by the Italian astronomer Stefano Valenti (Queen's University in Belfast, United Kingdom), including scientists from Max Planck Institute for Astrophysics (Germany), the National Institute for Astrophysics (Italy), and various other institutions. The results, recently published in the scientific journal *Nature*, are based on data gathered at Calar Alto Observatory (Andalusia, Spain), the Telescopio Nazionale Galileo (TNG), Nordic <u>Optical Telescope</u> (NOT) and Liverpool Telescope (all in Canary Islands, Spain), the Copernico Telescope (Asiago Observatory, Italy), and other smaller observational facilities.

Taken together, the dimness and lack of hydrogen leave room for two scenarios for the origin of SN 2008ha. One possibility is that the progenitor star may have been a moderately massive star in a binary system, which lost its outer layers through the interaction with the companion. Alternatively, the explosion may be due to a very massive star which shed its envelope through stellar winds and formed a black hole upon core collapse. If the latter scenario should prove to be correct,



SN 2008ha may be of particular importance in our understanding of the connection between supernovae and a group of gamma-ray bursts.

The tale of SN 2008ha is one more step in an ongoing research program whose goal is to unveil the secrets of these cosmic explosions. This project involves an international team of scientists from many institutions and relies on observational data from different observatories and instruments. No doubt this exploration will produce more exciting news in the near future.

Colour image of supernova SN 2008ha taken on 2008 December 30 at Calar Alto Observatory, with the Zeiss 2.2m Telescope and camera CAFOS. It is a composite of the B, V and R bands. The SN is the faint reddish dot marked with an arrow. The quite irregular shape of the galaxy UGC 12682, that hosts the supernova, is seen at the centre of the image. Stefan Taubenberger, Max Planck Institut for Astrophysics.

More information: S. Valenti et al., Nature 459, 674-677 (4 June 2009)

Provided by Calar Alto Observatory

Citation: A new class of dim supernovae (2009, June 5) retrieved 7 May 2024 from <u>https://phys.org/news/2009-06-class-dim-supernovae.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.