

# Meteorite bombardment may have made Earth more habitable

June 1 2009

---



A fragment of the Murchison meteorite was analysed by researchers.

(PhysOrg.com) -- Large bombardments of meteorites approximately four billion years ago could have helped to make the early Earth and Mars more habitable for life by modifying their atmospheres, suggests the results of a paper published today in the journal *Geochimica et Cosmochimica Acta*.

When a meteorite enters a planet's atmosphere, extreme heat causes some of the minerals and organic matter on its outer crust to be released as water and [carbon dioxide](#) before it breaks up and hits the ground.

Researchers suggest the delivery of this water could have made Earth's

and Mars' atmospheres wetter. The release of the [greenhouse gas](#) carbon dioxide could have trapped more energy from sunlight to make Earth and Mars warm enough to sustain liquid oceans.

In the new study, researchers from Imperial College London analysed the remaining mineral and organic content of fifteen fragments of ancient meteorites that had crashed around the world to see how much water vapour and carbon dioxide they would release when subjected to very high temperatures like those that they would experience upon entering the Earth's atmosphere.

The researchers used a new technique called pyrolysis-FTIR, which uses electricity to rapidly heat the fragments at a rate of 20,000 degrees Celsius per second, and they then measured the gases released.

They found that on average, each meteorite was capable of releasing up to 12 percent of the meteorites' mass as water vapour and 6 percent of the meteorites' mass as carbon dioxide when entering an atmosphere. They concluded that contributions from individual meteorites were small and were unlikely to have a significant impact on the atmospheres of planets on their own.

The researchers then analysed data from an ancient meteorite shower called the Late Heavy Bombardment (LHB), which occurred 4 billion years ago, where millions of rocks crashed to Earth and Mars over a period of 20 million years.

Using published models of meteoritic impact rates during the LHB, the researchers calculated that 10 billion tonnes of carbon dioxide and 10 billion tonnes of water vapour could have been delivered to the atmospheres of Earth and Mars each year.

This suggests that the LHB could have delivered enough carbon dioxide

and water vapour to turn the atmospheres of the two planets into warmer and wetter environments that were more habitable for life, say the researchers.

Professor Mark Sephton, from Imperial's Department of Earth Science and Engineering believes the study provides important clues about Earth's ancient past:

"For a long time, scientists have been trying to understand why Earth is so water rich compared to other planets in our solar system. The LHB may provide a clue. This may have been a pivotal moment in our early history where Earth's gaseous envelope finally had enough of the right ingredients to nurture life on our planet."

Lead- author of the study, Dr Richard Court from Imperial's Department of Earth Science and Engineering, adds:

"Because of their chemistry, ancient meteorites have been suggested as a way of furnishing the early Earth with its liquid water. Now we have data that reveals just how much water and carbon dioxide was directly injected into the atmosphere by meteorites. These gases could have got to work immediately, boosting the [water](#) cycle and warming the planet."

However, researchers say Mars' good fortune did not last. Unlike Earth, Mars doesn't have a magnetic field to act as a protective shield from the Sun's solar wind. As a consequence, Mars was stripped of most of its atmosphere. A reduction in volcanic activity also cooled the planet. This caused its liquid oceans to retreat to the poles where they became ice.

More information: "[Meteorite](#) ablation products and their contribution to the atmospheres of terrestrial planets: An experimental study using pyrolysis-FTIR", *Geochemica et Cosmochima Acta*, Monday 1 June 2009 (Print publication)

Source: Imperial College London ([news](#) : [web](#))

Citation: Meteorite bombardment may have made Earth more habitable (2009, June 1) retrieved 23 April 2024 from <https://phys.org/news/2009-06-meteorite-bombardment-earth-habitable.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.