

Sands of Gobi Desert yield new species of nut-cracking dinosaur

June 17 2009



Artistic rendering of a newly discovered species of parrot-beaked dinosaur, *Psittacosaurus gobiensis*. Scientists first discovered psittacosaurus in the Gobi Desert in 1922, calling them "parrot-beaked" for their resemblance to parrots. Psittacosaurus evolved their strong-jawed, nut-eating habits 60 million years before the earliest parrot. Credit: Todd Marshall

Plants or meat: That's about all that fossils ever tell paleontologists about a dinosaur's diet. But the skull characteristics of a new species of parrot-beaked dinosaur and its associated gizzard stones indicate that the animal fed on nuts and/or seeds. These characteristics present the first solid evidence of nut-eating in any dinosaur.

"The parallels in the skull to that in parrots, the descendants of dinosaurs most famous for their nut-cracking habits, is remarkable," said Paul Sereno, a paleontologist at the University of Chicago and National Geographic Explorer-in-Residence. Sereno and two colleagues from the People's Republic of China announce their discovery June 17 in the *Proceedings of the Royal Society B*.



Skull of the parrot-beaked dinosaur, *Psittacosaurus gobiensis*, next to that of a living macaw. Credit: Mike Hettwer

The paleontologists discovered the new dinosaur, which they've named *Psittacosaurus gobiensis*, in the [Gobi Desert](#) of Inner Mongolia in 2001, and spent years preparing and studying the specimen. The dinosaur is approximately 110 million years old, dating to the mid-Cretaceous Period.

The quantity and size of gizzard stones in birds correlates with dietary preference. Larger, more numerous gizzard stones point to a diet of harder food, such as nuts and seeds. "The psittacosaur at hand has a huge pile of stomach stones, more than 50, to grind away at whatever it eats, and this is totally out of proportion to its three-foot body length," Sereno explained.

Technically speaking, the dinosaur is also important because it displays a whole new way of chewing, which Sereno and co-authors have dubbed "inclined-angle" chewing. "The jaws are drawn backward and upward instead of just closing or moving fore and aft," Sereno said. "It remains to be seen whether some other plant-eating dinosaurs or other reptiles had the same mechanism."

The unusual chewing style has solved a major mystery regarding the wear patterns on psittacosaur teeth. Psittacosaur sported rigid skulls, but their teeth show the same sliding wear patterns as plant-eating [dinosaurs](#) with flexible skulls.

Source: University of Chicago ([news](#) : [web](#))

Citation: Sands of Gobi Desert yield new species of nut-cracking dinosaur (2009, June 17)
retrieved 16 April 2024 from
<https://phys.org/news/2009-06-sands-gobi-yield-species-nut-cracking.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.