

# Kepler Detects Atmosphere of Hot World

August 6 2009

---




Exoplanet orbiting close to its sun. Image credit: NASA

(PhysOrg.com) -- NASA's new exoplanet-hunting Kepler space telescope has detected the atmosphere of a known giant gas planet, demonstrating the telescope's extraordinary scientific capabilities. The discovery will be published Friday, Aug. 7, in the journal *Science*.

The find is based on a relatively short 10 days of test data collected before the official start of science operations. Kepler was launched March 6, 2009, from Cape Canaveral Air Force Station in Florida. The observation demonstrates the extremely high precision of the measurements made by the telescope, even before its calibration and data analysis software were finished.

"As NASA's first exoplanets mission, Kepler has made a dramatic entrance on the planet-hunting scene," said Jon Morse, director of the

Science Mission Directorate's Astrophysics Division at NASA Headquarters in Washington. "Detecting this planet's atmosphere in just the first 10 days of data is only a taste of things to come. The planet hunt is on!"




Comparison of ground-based and space-based light curves for hot exoplanet HAT P7b. Image credit: NASA

Kepler team members say these new data indicate the mission is indeed capable of finding Earth-like [planets](#), if they exist. Kepler will spend the next three-and-a-half years searching for planets as small as Earth, including those that orbit [stars](#) in a warm zone where there could be water. It will do this by looking for periodic dips in the brightness of stars, which occur when orbiting planets transit, or cross in front of, the stars.

"When the light curves from tens of thousands of stars were shown to the Kepler science team, everyone was awed; no one had ever seen such exquisitely detailed measurements of the light variations of so many different types of stars," said William Borucki, the principal science investigator and lead author of the paper.

The observations were collected from a planet called HAT-P-7, known to transit a star located about 1,000 light years from Earth. The planet orbits the star in just 2.2 days and is 26 times closer than Earth is to the sun. Its orbit, combined with a mass somewhat larger than the planet Jupiter, classifies this planet as a "hot Jupiter." It is so close to its star, the planet is as hot as the glowing red heating element on a stove.



Distributions of mass and orbit size for discovered planets. Image credit: NASA

The Kepler measurements show the transit from the previously detected HAT-P-7. However, these new measurements are so precise, they also show a smooth rise and fall of the light between transits caused by the changing phases of the planet, similar to those of our moon. This is a combination of both the light emitted from the planet and the light reflected off the planet. The smooth rise and fall of light is also punctuated by a small drop in light, called an occultation, exactly halfway between each transit. An occultation happens when a planet passes behind a star.

The new Kepler data can be used to study this hot Jupiter in unprecedented detail. The depth of the occultation and the shape and

amplitude of the light curve show the planet has an atmosphere with a day-side temperature of about 4,310 degrees Fahrenheit. Little of this heat is carried to the cool night side. The occultation time compared to the main transit time shows the planet has a circular orbit. The discovery of light from this planet confirms the predictions by researchers and theoretical models that the emission would be detectable by Kepler.

This new discovery also demonstrates Kepler has the precision to find Earth-size planets. The observed brightness variation is just one and a half times what is expected for a transit caused by an Earth-sized planet. Although this is already the highest precision ever obtained for an observation of this star, Kepler will be even more precise after analysis software being developed for the mission is completed.

"This early result shows the Kepler detection system is performing right on the mark," said David Koch, deputy principal investigator of NASA's Ames Research Center at Moffett Field, Calif. "It bodes well for Kepler's prospects to be able to detect Earth-size planets."

Provided by JPL/NASA ([news](#) : [web](#))

Citation: Kepler Detects Atmosphere of Hot World (2009, August 6) retrieved 26 April 2024 from <https://phys.org/news/2009-08-kepler-atmosphere-hot-world.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---