

Mice living in sandy hills quickly evolved lighter coloration

August 27 2009



As the result of natural selection for crypsis, deer mice (*Peromyscus maniculatus*) living on the pale soils of the Nebraska Sand Hills are lighter (top) than deer mice from darker, surrounding areas (bottom). Mice are shown on contrasting soil backgrounds (bottom: Sand Hills soil; top: soil from outside the Sand Hills). Credit: Photos by Emily Kay.

In a vivid illustration of natural selection at work, scientists at Harvard University have found that deer mice living in Nebraska's Sand Hills quickly evolved lighter coloration after glaciers deposited sand dunes atop what had been much darker soil. The work is described this week in the journal *Science*.

Co-authors Catherine R. Linnen and Hopi E. Hoekstra show that the different variants of a single gene determines whether a deer mouse is dark or pale -- a small difference with huge survival implications for a species widely hunted by owls, hawks and other visual predators.

"Our work shows that rapid adaptive change, such as the evolution of lighter coloration among Sand Hills [mice](#), need not always rely on pre-existing [genetic variation](#)," says Linnen, a postdoctoral researcher in Harvard's Department of Organismic and [Evolutionary Biology](#). "We show that a single genetic change creates lighter coloration in these mice, and that this variant clearly arose recently, sometime after the formation of the Sand Hills."



The color of this deer mouse's (*Peromyscus maniculatus*) coat allows it to blend into the light soil of the Nebraska Sand Hills and help escape detection by visual predators, such as owls and hawks. Credit: Emily Kay

The species Linnen and Hoekstra studied, *Peromyscus maniculatus*, is the most widespread mammal in North America. By analyzing the strength of natural selection in favor of lighter Sand Hills mice, the scientists determined that predation would drive virtually all individuals in the area

toward pale coloration within 8,000 years -- just slightly less than the age of the Sand Hills.

This and other evidence, including much greater genetic uniformity among pale mutants than their dark wildtype cousins, suggests this mutation is a relatively recent development, likely arising shortly after the formation of the Sand Hills in north-central Nebraska.

Linnen and Hoekstra found that light coloration arises from increased activity in a single gene, called Agouti. This increased expression, in turn, is associated with the deletion of a single amino acid, a process that appears to be under natural selection. This Agouti mutation generates wider pale bands on dorsal hairs, making the entire animal appear golden rather than brown.

"This work sheds new light on the forces affecting diversity in nature," says Hoekstra, John L. Loeb Associate Professor of the Natural Sciences in Harvard's Faculty of Arts and Sciences. "It's an exciting time in biology, with the integration of field studies, genetic analysis, and developmental and molecular biology enabling us to connect genes and molecular mechanisms with species' traits in the wild. In the bicentennial of Charles Darwin's birth and on the 150th anniversary of his publication of *On the Origin of Species*, this study vividly illustrates the power of [natural selection](#)."

The Sand Hills, rolling dunes occupying more than a quarter of Nebraska's area, were created by glacial deposition of sand sometime in the last 10,000 years. Since the soils of these hills are composed mostly of light-colored quartz grains, pale mice are better camouflaged against owls and other raptors. Surrounding areas, with much darker soils, tend to be occupied by dark brown mice.

By mating light Sand Hills mice and dark mice found outside the Sand

Hills, Linnen and Hoekstra determined that the light coloration seen in Agouti mutants is genetically dominant to the darker coats seen among wildtype mice.

Source: Harvard University ([news](#) : [web](#))

Citation: Mice living in sandy hills quickly evolved lighter coloration (2009, August 27) retrieved 19 April 2024 from <https://phys.org/news/2009-08-mice-sandy-hills-quickly-evolved.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.