


# High in Sodium: Highly Charged Tungsten Ions May Diagnose Fusion Energy Reactors

September 8 2009

---



Sodium-like tungsten ions (blue) are far smaller than neutral sodium atoms (orange)—the ion's 11 electrons are pulled in very tightly by the 74 protons in the tungsten nucleus, making their energy jumps far more expensive than in neutral sodium and causing them to emit high-energy ultraviolet wavelengths of light, rather than visible light, as is the case with ordinary sodium. Credit: Talbott, NIST

(PhysOrg.com) -- Just as health-food manufacturers work on developing the best possible sodium substitutes for low-salt diets, physicists at the National Institute of Standards and Technology have acquired new knowledge on a promising sodium alternative of their own. Sodium-like tungsten ions could pepper -- and conveniently monitor -- the hot plasma

soup inside fusion energy devices, potential sources of abundant, clean power.

Tungsten—having the highest melting point of any metal—will be used in some high-strength structural components in the experimental ITER fusion reactor under construction in France (see [www.physorg.com/news111336748.html](http://www.physorg.com/news111336748.html)). When [ITER](#) cooks up its hot, dense fusion [plasma](#), it could erode trace amounts of [tungsten](#) from its structures and strip away many of its electrons in the process. When 63 of tungsten's 74 electrons are removed, it becomes chemically analogous to sodium atoms, which have 11 electrons as well.

Ordinary sodium gas radiates bright yellow-orange [light](#), which has proven useful for everything from mundane streetlamps to exotic atom lasers. Sodium radiates approximately 99 percent of its visible light in two shades of orange, which scientists have termed the “D” spectral lines.

Sodium-like tungsten ions emit intense light in analogous “D” spectral lines, but they are at far higher energy levels than [sodium](#), and so are shifted out of the [visible spectrum](#) to the [extreme ultraviolet](#). Measuring the wavelengths and relative intensities of lines in the spectrum of light released by a population of tungsten ions in the plasma can provide information about the fusion plasma conditions, such as its temperature, density and magnetic fields. Yet it has been challenging to measure light in this portion of the [electromagnetic spectrum](#).

NIST's John Gillaspay and his colleagues have now provided the first measurement of both “D” lines in sodium-like tungsten, confirming theoretical predictions of their energies and intensities. The NIST scientists further checked their knowledge by measuring the spectrum of light from other sodium-like ions of hafnium, tantalum and gold. The researchers used NIST's electron beam ion trap (EBIT), which employs

an electron beam to make, catch and study highly charged ions. To measure the spectra, they used an extreme ultraviolet (EUV) spectrometer, originally developed to study 13.5 nanometer wavelength light emitted from plasma sources for next-generation microelectronics applications, but they discovered they could push it to detect radiation as low as about 2 nanometers, where tungsten's lower-wavelength "D" line resides. With this experimental knowledge of tungsten's lines, researchers may now have a robust new ingredient for measuring fusion reactor conditions.

More information: J.D. Gillaspy, I.N. Draganic, Y. Ralchenko, J. Reader, J.N. Tan, J.M. Pomeroy and S.M. Brewer Measurement of the D-line doublet in high-Z highly charged sodiumlike ions. *Physical Review A*, Published online 8 July 2009. [doi: 10.1103/PhysRevA.80.010501](https://doi.org/10.1103/PhysRevA.80.010501)

Provided by National Institute of Standards and Technology ([news](#) : [web](#) )

Citation: High in Sodium: Highly Charged Tungsten Ions May Diagnose Fusion Energy Reactors (2009, September 8) retrieved 20 April 2024 from <https://phys.org/news/2009-09-high-sodium-highly-tungsten-ions.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--