

Researchers go underground to reveal 850 new species

September 28 2009



A new woodlice species whose distribution is restricted to mound springs in South Australia. Credit: Courtesy of the Australian Center for Evolutionary Biology & Biodiversity, University of Adelaide.

Australian researchers have discovered a huge number of new species of invertebrate animals living in underground water, caves and "micro-caverns" amid the harsh conditions of the Australian outback.

A national team of 18 researchers has discovered 850 new species of invertebrates, which include various insects, small crustaceans, spiders, worms and many others.

The team - led by Professor Andy Austin (University of Adelaide), Dr Steve Cooper (South Australian Museum) and Dr Bill Humphreys

(Western Australian Museum) - has conducted a comprehensive four-year survey of underground water, caves and micro-caverns across arid and semi-arid Australia.



Some of the 850 new species discovered in underground water, caves and micro-caverns across outback Australia. Credit: Courtesy of the Australian Center for Evolutionary Biology & Biodiversity, University of Adelaide.

"What we've found is that you don't have to go searching in the depths of the ocean to discover new species of invertebrate animals - you just have to look in your own 'back yard'," says Professor Austin from the Australian Center for [Evolutionary Biology](#) & Biodiversity at the University of Adelaide.

"Our research has revealed whole communities of invertebrate animals that were previously unknown just a few years ago. What we have discovered is a completely new component to Australia's biodiversity. It is a huge discovery and it is only about one fifth of the number of new species we believe exist underground in the Australian outback."

Only half of the species discovered have so far been named. Generically, the animals found in [underground water](#) are known as "stygo fauna" and

those from caves and micro-caverns are known as "troglofauna".

Professor Austin says the team has a theory as to why so many [new species](#) have been hidden away underground and in caves.



This new species is *Phreatomerus latipes*, from Coward Springs, South Australia. Credit: Courtesy of the Australian Center for Evolutionary Biology & Biodiversity, University of Adelaide.

"Essentially what we are seeing is the result of past climate change. Central and southern Australia was a much wetter place 15 million years ago when there was a flourishing diversity of invertebrate fauna living on the surface. But the continent became drier, a process that last until about 1-2 million years ago, resulting in our current arid environment. Species took refuge in isolated favorable habitats, such as in underground waters and micro-caverns, where they survived and evolved in isolation from each other.

"Discovery of this 'new' biodiversity, although exciting scientifically, also poses a number of challenges for conservation in that many of these species are found in areas that are potentially impacted by mining and pastoral activities," he says.

The research team has reported its findings at a scientific conference on evolution and biodiversity in Darwin, which celebrates the 200th anniversary of Charles Darwin: www.evolutionbiodiversity2009.org. The conference finishes today.

Source: University of Adelaide ([news](#) : [web](#))

Citation: Researchers go underground to reveal 850 new species (2009, September 28) retrieved 3 May 2024 from <https://phys.org/news/2009-09-underground-reveal-species.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--