


NASA 3-D map shows flooding rains of Typhoon Ketsana in Philippines

October 1 2009



Data from NASA's TRMM satellite was used to create an enhanced 3-D topographic rainfall map of Ketsana's flooding rains received in the Philippines. The dark yellow and orange areas indicate 375 mm (~15 inches) to over 475 mm (~19 inches), respectively. The red area over Manila indicates almost 2 feet of rain fell. Credit: SSAI/NASA, Hal Pierce

The Tropical Rainfall Measuring Mission or TRMM satellite, orbits the Earth and measures the amount of rainfall created by a tropical cyclone. When Typhoon Ketsana (known in the Philippines as "Ondoy") made landfall early this past weekend TRMM was monitoring its rainfall. That data was used to create a 3-D map of rainfall over the Philippines from September 21-28.

According to the Philippine Atmospheric Geophysical Astronomical

Services Administration (PAGASA), Ketsana dropped 17.9 inches (455 mm) of rain in Manila in just 24 hours on Saturday, September 26.

The TRMM-based, near-real time Multi-satellite Precipitation Analysis (TMPA) at the NASA Goddard Space Flight Center, Greenbelt, Md. is used to monitor [rainfall](#) over the global Tropics. TMPA rainfall totals for the 7-day period 21 to 28 September 2009 for the northern Philippines and the surrounding region showed that the highest rainfall totals occurred south of the storm's track in an east-west band over central Luzon that includes Manila. Amounts in this region are on the order of 375 mm (~15 inches) to over 475 mm (~19 inches). The highest recorded amount from the TMPA near Manila was 585.5 mm (almost 24 inches).

Ketsana maintained minimal tropical storm intensity as it crossed central Luzon on the afternoon of September 26 (local time). The main deluge in the Manila area, located on the western side of Luzon, began around 8:00 a.m. local time even though the center of Ketsana had yet to make landfall on the eastern side of the island.

A record 13.43 inches of rain fell in Manila in the six hours between 8 a.m. and 2 p.m. local time, which is equivalent to about a month's worth of rain for the area. The enhanced rainfall over on the Manila-side of the island as the storm approached was because of an interaction between Ketsana's circulation and the seasonal southwest monsoon.

Source: NASA/Goddard Space Flight Center

Citation: NASA 3-D map shows flooding rains of Typhoon Ketsana in Philippines (2009, October 1) retrieved 20 March 2024 from <https://phys.org/news/2009-10-nasa-d-typhoon-ketsana-philippines.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.