

Rot-resistant wheat could save farmers millions

October 28 2009



Fusarium causes head blight of barley. Credit: CSIRO

(PhysOrg.com) -- CSIRO researchers have identified wheat and barley lines resistant to Crown Rot - a disease that costs Australian wheat and barley farmers \$79 million in lost yield every year.


Crown Rot, which is a chronic problem throughout the Australian wheat belt, is caused by the [fungus](#) *Fusarium*.

Dr Chunji Liu and his CSIRO Plant Industry team in Brisbane are using sophisticated screening methods to scan over 2400 wheat lines and 1000 barley lines from around the world to find the ones resistant the fungal disease.

"The wheat and barley lines showing resistance to Crown Rot are now being used in pre-breeding programs to incorporate the resistance into adapted varieties for delivery to the wheat breeding companies," Dr Liu

says.

Crown Rot infects many grasses and weeds found in wheat growing regions and minimum till cropping encourages *Fusarium* which survives in cereal stubbles.



This image shows *Fusarium* growing on a wheat stem base. Credit: CSIRO

Minimum till cropping minimises [soil](#) disturbance and retains plant stubble from previous crops in order to promote soil health and limit erosion.

Developing Crown Rot resistant wheat and barley varieties is an essential strategy in fighting the disease.

"As well as developing Crown Rot resistant varieties, we are also studying how *Fusarium* invades the plant, how [plants](#) resist *Fusarium* infection and what genes may be involved in defending the plant against *Fusarium* or reducing its effect on yield," Dr Liu says.

Another of the most serious wheat diseases in Australia, Head Blight, is also caused by *Fusarium*.

Source: CSIRO Australia

Citation: Rot-resistant wheat could save farmers millions (2009, October 28) retrieved 25 April 2024 from <https://phys.org/news/2009-10-rot-resistant-wheat-farmers-millions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.