

Water droplets direct self-assembly process in thin-film materials

November 23 2009

You can think of it as origami - very high-tech origami. Researchers at the University of Illinois have developed a technique for fabricating three-dimensional, single-crystalline silicon structures from thin films by coupling photolithography and a self-folding process driven by capillary interactions.

The films, only a few microns thick, offer mechanical bendability that is not possible with thicker pieces of the same material.

"This is a completely different approach to making three-dimensional structures," said Ralph G. Nuzzo, the G. L. Clark Professor of Chemistry at Illinois. "We are opening a new window into what can be done in self-assembly processes."

Nuzzo is corresponding author of a paper accepted for publication in the [Proceedings of the National Academy of Sciences](#). The paper is to be posted on the journal's Early Edition Web site the week of November 23.

As a demonstration of the new capillary-driven, self-assembly process, Nuzzo and colleagues constructed spherical and cylindrical shaped [silicon solar cells](#) and evaluated their performance.

The researchers also developed a predictive model that takes into account the type of thin film to be used, the film's mechanical properties and the desired structural shape.

"The model identifies the critical conditions for self-folding of different geometric shapes," said mechanical science and engineering professor K. Jimmy Hsia. "Using the model, we can improve the folding process, select the best material to achieve certain goals, and predict how the structure will behave for a given material, thickness and shape."

To fabricate their free-standing solar cells, the researchers began by using [photolithography](#) to define the desired geometric shape on a thin film of single-crystalline silicon, which was mounted on a thicker, insulated silicon wafer. Next, they removed the exposed silicon with etchant, undercut the remaining silicon foil with acid, and released the foil from the wafer. Then they placed a tiny drop of water at the center of the foil pattern.

As the water evaporated, capillary forces pulled the edges of the foil together, causing the foil to wrap around the water droplet.

To retain the desired shape after the water had fully evaporated, the researchers placed a tiny piece of glass, coated with an adhesive, at the center of the foil pattern. The glass "froze" the three-dimensional structure in place, once it had reached the desired folded state.

"The resulting photovoltaic structures, not yet optimized for electrical performance, offer a promising approach for efficiently harvesting solar energy with [thin films](#)," said Jennifer A. Lewis, the Thurnauer Professor of Materials Science and Engineering and director of the university's Frederick Seitz Materials Research Laboratory.

Unlike conventional, flat [solar cells](#), the curved, three-dimensional structures also serve as passive tracking optics by absorbing light from nearly all directions.

"We can look forward from this benchmark demonstration to

photovoltaic structures made from thin films that behave as though they are optically dense, and much more efficient," Lewis said.

The new self-assembly process can be applied to a variety of thin-film materials, not just [silicon](#), the researchers noted in their paper.

Source: University of Illinois at Urbana-Champaign ([news](#) : [web](#))

Citation: Water droplets direct self-assembly process in thin-film materials (2009, November 23) retrieved 26 April 2024 from

<https://phys.org/news/2009-11-droplets-self-assembly-thin-film-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.