

Extra pores on plants could ease global warming: Japan study

December 10 2009



Japanese researchers said on Thursday they had found a way to make plant leaves absorb more carbon dioxide in an innovation that may one day help ease global warming and boost food production. In the experiments, the team used budding leaves of thale cress, a plant formally called *Arabidopsis*, which has a short life span of two months and is widely used as a model plant in biology.

Japanese researchers said Thursday they had found a way to make plant leaves absorb more carbon dioxide in an innovation that may one day help ease global warming and boost food production.

The Kyoto University team found that soaking germinated seeds in a protein solution raised the number of pores, or stomas, on the leaves that inhale CO₂ and release [oxygen](#), said chief researcher Ikuko Hara-Nishimura.

"A larger number means there are more intake windows for carbon dioxide, contributing to lowering the density of the gas," she told AFP by telephone.

Another effect is higher starch production in photosynthesis, the process in which green [plants](#) use CO₂ and water to produce sugar and other [organic compounds](#).

"It could lead to higher production of food and materials for biofuel," said Hara-Nishimura, a biology professor at Kyoto University's Graduate School in western Japan.

In the experiments, the team used budding leaves of thale cress, a plant formally called Arabidopsis, which has a short [life span](#) of two months and is widely used as a [model plant](#) in biology.

They found that the number of pores multiplied relative to the concentration of the solution of the protein, which the researchers named Stomagen, achieving a maximum of four times the number of pores of an untreated plant.

An ideal increase would be two-to-three times, as too many pores impede the functions of other cells in the surface of the plant, Hara-Nishimura said.

Stomagen is easy but costly to produce chemically, and the team is working on a cheaper way to make it, Hara-Nishimura said, adding that an alternative may be to genetically modify plants to have more pores.

(c) 2009 AFP

Citation: Extra pores on plants could ease global warming: Japan study (2009, December 10)
retrieved 27 April 2024 from <https://phys.org/news/2009-12-extra-pores-ease-global-japan.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.