

## **Fungal footage fosters foresight into plant, animal disease (w/ Video)**

December 22 2009

---

Mold and mildew may be doomed. Researchers are closer to understanding how these and other fungi grow. "Fungi have a big impact on our dinner plate," said Dr. Brian Shaw, Texas AgriLife Research plant pathologist. "We tend to think that getting food on the table is easy. But fungi are major disease-causing organisms for both plants and animals. With more research, we can find new ways to compete with them." Commonly known fungi are molds, mildews, mushrooms and yeast.

Anyone who thinks humans are not in an all-out war with pathogenic fungi need only know this: Some 70 percent of the major disease-causing organisms are fungi, according to Shaw.

That fact alone has researchers like Shaw going to great lengths to discover how to combat the negative aspects of fungi.

Shaw, for one, is challenging existing scientific knowledge with new observations on how fungal cells grow.

At a recent meeting of the International Fungal Biology Conference in Ensenada, Mexico, Shaw demonstrated with unique movie footage his observation that fungi cells grow and are shaped using both outward and inward flow of growth materials.

"I'm pushing a revolutionary concept," Shaw acknowledged.

Basically, fungi make a structure called a spore that helps the organism disperse. Each spore has a cellular marker that tells the spore to germinate, Shaw noted.

But researchers have puzzled over what makes the spore germinate and grow into the structures characteristic of fungi. Often a fungus is a parasite, meaning that it latches onto a plant or animal to live. Researchers want to find out how to make the fungus stop growing without harming the animal skin or plant cells on which the fungus grows.

A closer look shows that fungi are made of thread-like cells called hypha. Magnified, the individual threads look like the outline of a blimp. Growth of the fungi is confined to the apex or end of the hypha cell. That's different from the way animal or plant cells grow, Shaw said.

A common thought for 50 years has been that the hypha direct their growth to the apex of their cell through outward flow of growth material forming a longer and longer blimp-like shape. This is called exocytosis. But Shaw found that there is a region of the cell at the growing apex of the hypha that directs material inward. That process is known as endocytosis.

He discovered this with the help of a student who took microscopic photos of the growing cell every 30 seconds for six hours. That yielded a video that demonstrated growth.

"We think the hypha is recycling material," he said. "It is growing outward toward a marker at the cell apex, but is also recycling that marker inward. We call this the 'apical recycling model.'"

Shaw's work, supported by a National Science Foundation grant and the U.S. Department of Agriculture, has been done on the common lab fungus *Aspergillus nidulans*. It is not a pathogen, but information from

Shaw's research translates to disease-causing [fungi](#) and will help researchers learn how to stop their harmful growth on plants and animals, he said.

Shaw said it is the balance between exocytosis and endocytosis that results in growth of fungus and the shape of the cell, and researchers who understand how they grow can find better ways of stopping or curing fungal diseases.

**More information:** [www3.interscience.wiley.com/jo ...  
/119409055/abstract](http://www3.interscience.wiley.com/jo.../119409055/abstract)

Provided by Texas A&M AgriLife Communications

Citation: Fungal footage fosters foresight into plant, animal disease (w/ Video) (2009, December 22) retrieved 18 April 2024 from <https://phys.org/news/2009-12-fungal-footage-fosters-foresight-animal.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.