

Soil Microorganisms? Role Cited as a Missing Factor in Climate Change Equation

December 17 2009

(PhysOrg.com) -- Those seeking to understand and predict climate change can now use an additional tool to calculate carbon dioxide exchanges on land, according to a scientific journal article co-authored by a University of Alabama researcher and publishing this week.

The research, publishing in the <u>Proceedings of the National Academy of</u> <u>Sciences</u>' *Early Edition*, incorporates into global computer models the significant impact an enzyme, carbonic anhydrase, has on the chemical form of carbon dioxide released from the soils and reduces uncertainties in estimates of CO2 taken up and released in terrestrial ecosystems.

The same enzyme is present in foliage and soils, but it leaves a different imprint on CO2 involved in photosynthesis and respired by soils.

"Our paper presents measurements from all the major regions of the world where we have experimentally determined the effect of this enzyme, produced by many <u>microorganisms</u>, on carbon dioxide released from the soil," said Dr. Behzad Mortazavi, an assistant professor of biological sciences at The University of Alabama, and a co-author of the article.

In computer models used to estimate and predict carbon dioxide, or CO2, exchange, scientists had previously incorporated the role this enzymes plays in the vegetation, but had neglected to include its role in soils, according to the collaborative paper written by 18 co-authors from around the world.



Revising the <u>computer model</u> predictions to take the soil enzymes' impact on CO2 into account reduces the discrepancies between the model and atmospheric observations, according to the paper whose lead authors are Lisa Wingate and Jérôme Ogee.

While scientists had suspected the enzyme was also active in soils, Mortazavi said the impact of the enzymes within soil on CO2 had been difficult to measure and thereby was not factored into the computer models.

In order to effectively tackle the complexities regarding humans' impact on climate changes, it's important to accurately understand the natural processes, the UA scientist said.

"In general, it's very challenging to determine how much carbon is taken up by photosynthesis versus how much carbon is released by respiration," Mortazavi said. "It's important to know the contributions of these two processes because as the climate is warming, the balance between carbon taken up and released on land will change. Warmer temperatures can increase the microbial activity in the soils, leading to a greater release of CO2 from the <u>soil</u>."

Ideally, the amount of carbon dioxide removed naturally through the carbon cycle balances the total <u>carbon dioxide</u> emissions. The amount of carbon released into the atmosphere has grown out of balance because of the increased number of human activities such as the use of fossil fuels, many scientists believe.

As the world debates what steps should be taken to address human activities believed to contribute to climate change, Mortazavi said it's important the naturally occurring processes are measured accurately, something to which this research will contribute.



"This is an additional tool to look separately at the uptake of CO2 by <u>photosynthesis</u>, on the one hand, and, on the other hand, the release of CO2 by respiration."

Provided by University of Alabama

Citation: Soil Microorganisms? Role Cited as a Missing Factor in Climate Change Equation (2009, December 17) retrieved 23 April 2024 from <u>https://phys.org/news/2009-12-soil-microorganisms-role-cited-factor.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.